

GROSTRONG® 33 Ration Balancer

594AAA24

A Supplement for All Classes of Horses

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 33.0 %	Dehulled Soybean Meal, Monocalcium Phosphate, Salt, Dehydrated Alfalfa Meal, Calcium Carbonate, Cane Molasses, Wheat Middlings, Magnesium Oxide, Dried Whey, Brewers Dried Yeast (Saccharomyces), Manganous Oxide, Dicalcium Phosphate, Zinc Oxide, Copper Sulfate, Deffluorinated Phosphate, Ferrous Sulfate, Potassium Iodide, Cobalt Carbonate, Biotin, Vitamin A Supplement, Thiamine Mononitrate, Vitamin E Supplement, Riboflavin Supplement, d-alpha Tocopheryl Acetate, Calcium Pantothenate, Niacin Supplement, Vitamin D3 Supplement, Vitamin B12 Supplement, Sodium Selenite, Vegetable Oil, Methionine, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, Extracted Citric Acid Presscake, Natural and Artificial Flavors, L-Lysine.
Lysine, Min. 2.1 %	
Methionine, Min. 0.8 %	
Threonine, Min. 1.0 %	
Crude Fat, Min. 2.0 %	
Crude Fiber, Max. 6.0 %	
Acid Detergent Fiber (ADF), Max. 7.0 %	
Neutral Detergent Fiber (NDF), Max. 10.0 %	
Dietary Starch, Max. 3.0 %	
Sugar, Max. 9.0 %	
Calcium (Ca), Min. 3.0 %	
Calcium (Ca), Max. 4.0 %	
Phosphorus (P), Min. 2.0 %	
Copper (Cu), Min. 300 ppm	
Selenium (Se), Min. 3.0 ppm	
Selenium (Se), Max. 4.0 ppm	
Zinc (Zn), Min. 1,000 ppm	
Vitamin A, Min. 38,000 IU/lb	
Vitamin D3, Min. 3,000 IU/lb	
Vitamin E, Min. 650 IU/lb	
Biotin, Min. 6 mg/lb	
Lactobacillus acidophilus, Min. 12,000,000 CFU/lb	
Lactobacillus casei, Min. 12,000,000 CFU/lb	
Bifidobacterium thermophilum, Min. 12,000,000 CFU/lb	
Enterococcus faecium, Min. 12,000,000 CFU/lb	
Contains a source of live (viable) naturally occurring microorganisms	

INSTRUCTIONS FOR FEEDING

GROSTRONG® 33 Ration Balancer is designed to be fed combination with a forage. Forage should be offered at 2 to 3 lb per 100 lb of body weight daily. This product can be used as a traditional feed, top-dress, or mixer pellet for grain mixes. **Maintenance and Light Performance:** feed 0.05 to 0.15 lb of GROSTRONG® 33 Ration Balancer per 100 lb of body weight daily. **Moderate Performance and Early Gestation (1st and 2nd Trimester):** feed 0.1 to 0.2 lb of GROSTRONG® 33 Ration Balancer per 100 lb of body weight daily. **Weanlings and Yearlings:** feed 0.10 to 0.30 lb GROSTRONG® 33 Ration Balancer per 100 lb of body weight daily. **Long Yearlings and 2 Year Olds:** feed 0.1 to 0.2 lb GROSTRONG® 33 Ration Balancer per 100 lb of body weight daily. **Top-Dress:** for every 1 lb under the recommended feeding rate of our Patriot® or GLO® horse feeds, top-dress with 0.15 to 0.2 lb of GROSTRONG® 33 Ration Balancer per 100 lb of body weight daily. **Mixer Pellet:** mix with grains (oats, barley, corn) at a ratio of 1:4 (GROSTRONG® 33:grain). All ration changes should be made gradually over 7 to 10 days. Clean, fresh water and salt should always be available free choice. Consult with a veterinarian or ADM nutritionist for a recommended diet.

Note: The vitamin and mineral levels in GROSTRONG® 33 are greater than a traditional feed. Do not exceed the recommended feeding rate.

CAUTION: This feed contains copper. Do not feed to sheep or other copper sensitive species. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

34723

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 99393 00021 5

MoorMan's® WeatherMaster™ Sheep Minerals 625CW

A Free-Choice Mineral for All Classes of Sheep and Llamas

GUARANTEED ANALYSIS

Calcium (Ca), Min.	13.2% Max.	15.8%
Phosphorus (P), Min.		7.0%
Salt (NaCl), Min.	23.0% Max.	27.5%
Selenium (Se), Min.		36.3 ppm
Zinc (Zn), Min.		5800 ppm
Vitamin A, Min.		120,000 IU per pound
Vitamin D3, Min.		10,000 IU per pound
Vitamin E, Min.		550 IU per pound

INGREDIENTS

Calcium Phosphate, Salt, Calcium Carbonate, Defluorinated Phosphate, Calcium Sulfate, Magnesium Oxide, Dehulled Soybean Meal, Vegetable Oil, Zinc Amino Acid Complex, Iron Oxide, Cane Molasses, Potassium Sulfate, Manganous Oxide, Manganese Sulfate, Zinc Sulfate, Zinc Oxide, Ferrous Sulfate, Vitamin A Supplement, Vitamin E Supplement, Potassium Iodide, Cobalt Carbonate, Sodium Molybdate, Sodium Selenite, Vitamin D₃ Supplement.

FEEDING DIRECTIONS

Make sure sheep and llamas are not starved of salt or mineral. Remove salt and feed MoorMan's Sheep Minerals with WeatherMaster free-choice.

Consumption should average $\frac{3}{4}$ to 1 $\frac{1}{4}$ lb per head per month.

If consumption is below $\frac{3}{4}$ lb per head per month:

1. Put Sheep Minerals with WeatherMaster at several different places in the lot or pasture, preferably near areas where sheep and llamas congregate or drink water.
2. Mix small amounts of grain or oil meal with Sheep Minerals with WeatherMaster.

If consumption is above 1 $\frac{1}{4}$ lb per head per month:

1. Move Sheep Minerals with WeatherMaster away from areas where sheep and llamas congregate or drink water.
2. Offer free-choice salt with the Sheep Minerals with WeatherMaster for 2 to 3 days. Sheep and llamas may be overconsuming Sheep Minerals with WeatherMaster because of a salt hunger.
3. Change to Sheep Mineral Block.

CAUTION: No copper compounds are added to this feed. However, naturally occurring copper in feed ingredients may combine to yield detectable copper levels. Care should be taken to minimize additional copper from forage, water or other feedstuffs available to sheep. Follow label directions. Feeding selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

19222

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg)

GROSTRONG® Minerals for Horses 641BT
A Vitamin-Mineral Supplement for All Classes of Horses

GUARANTEED ANALYSIS

Calcium (Ca), Min	15.2% Max	18.2%
Phosphorus (P), Min		8.0%
Salt (NaCl), Min	26.0% Max	31.0%
Sodium (Na), Min	10.0% Max	12.0%
Zinc (Zn), Min		11,500 ppm
Copper (Cu), Min		3,600 ppm
Iron (Fe),		900 ppm
Manganese (Mn), Min		5,775 ppm
Selenium (Se), Min	30 ppm Max	36 ppm
Biotin, Min		83 mg/lb
Vitamin A, Min		300,000 IU/lb
Vitamin D ₃ , Min		30,000 IU/lb
Vitamin E, Min		3,000 IU/lb

INGREDIENTS

Salt, Defluorinated Phosphate, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Dehulled Soybean Meal, Vegetable Oil, Cane Molasses, Zinc Oxide, Magnesium Oxide, Manganese Oxide, Copper Sulfate, d-alpha Tocopheryl Acetate and dl-alpha Tocopheryl Acetate (Sources of Vitamin E), Ferrous Sulfate, Vitamin A Acetate, Calcium Pantothenate, Thiamine Mononitrate, Riboflavin Supplement, Biotin, Niacin Supplement, Cobalt Carbonate, Sodium Selenite, Cholecalciferol (Source of Vitamin D₃), Potassium Iodide, Vitamin B₁₂ Supplement, Natural and Artificial Flavors.

INSTRUCTIONS FOR FEEDING

GROSTRONG Minerals for Horses, a cornerstone of ADM feeding programs, provides vitamins, minerals and electrolytes in a proprietary formula balanced for horses.

Feed GROSTRONG Minerals for Horses by the following methods:

FREE CHOICE: When starting to feed, remove salt and other mineral products and feed GROSTRONG Minerals free choice near the water source and, preferably, protected from rain. Monitor intake to determine that the recommended amounts of Minerals are consumed.

MIXED WITH FEED: For horses expected to consume 5 lb of concentrate mix per horse daily, add 50 lb of granular GROSTRONG Minerals for Horses per ton of mix. For horses expected to consume 10 lb of concentrate mix per horse daily, add 25 lb of granular GROSTRONG Minerals for Horses per ton of mix, etc.

TOP DRESSED OVER FEED: Feed GROSTRONG Minerals as follows: (1 oz is 2 level tablespoons):

Age and work load of horse	Daily amount of GROSTRONG Minerals
Foal (up to one year of age)	1 oz
Yearling	2 oz
Two-year old	3 oz
Pony	1 oz
Bred mare or stallion	3 oz
Lactating mare	3 oz
Pleasure or show horse	2 oz
Moderate to hard-working horse	3 oz*
Race or performance horse	3 oz*

*Additional salt should be offered to hard-working horses to offset losses through perspiration.

Consumption of GROSTRONG Minerals for Horses will vary according to each individual horse's appetite, age, size, and body condition, as well as contribution of other nutrient sources in the diet.


CAUTION: Consumption of this product by sheep and goats may result in copper toxicity. Follow label directions. Feeding selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

23422

ADM Animal Nutrition, a division of
Archer Daniels Midland Company Quincy, IL 62305-3115
Net Weight 25 lb (11.33 kg) Or As Invoiced



MoorMan's® ShowTec® Lamb Creep DC 11153



For Growing Lambs Being Fitted for Show

For the prevention of coccidiosis in young sheep caused by *Eimeria bakuensis*, *Eimeria cranfieldi*, *Eimeria ovinoidalis* and *Eimeria pavia*.

ACTIVE DRUG INGREDIENT

Decoquinolate (0.8 mg/lb) 0.0015%

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 20.0% (This includes not more than 1.25% equivalent crude protein from non-protein nitrogen.)	Plant Protein Products, Animal Protein Products, Processed Grain By-Products, Grain Products, Forage Products, Calcium Lignin Sulfonate, Cane Molasses, Animal Fat preserved with BHT, Calcium Carbonate, Ammonium Chloride, Salt, Maltodextrin, Extracted Citric Acid Presscake, Natural and Artificial Flavors, Methionine, Zinc Amino Acid Complex, Yeast Culture (Saccharomyces), Diatomaceous Earth, Lactobacillus acidophilus Fermentation Product Dehydrated, Lactobacillus casei Fermentation Product Dehydrated, Bifidobacterium thermophilum Fermentation Product Dehydrated, Enterococcus faecium Fermentation Product Dehydrated, Monocalcium Phosphate, Dicalcium Phosphate, Sodium Propionate (A Preservative), Manganese Oxide, Zinc Oxide, Magnesium Oxide, Vitamin E Supplement, Defluorinated Phosphate, Ferrous Sulfate, Vitamin A Supplement, Sodium Molybdate, Potassium Iodide, Niacin Supplement, Thiamine Mononitrate, Calcium Pantothenate, Riboflavin Supplement, Cobalt Carbonate, Sodium Selenite, Vitamin D ₃ Supplement, Vitamin B ₁₂ Supplement.
Crude Fat, Min. 5.0%	
Crude Fiber, Max. 12.0%	
Calcium (Ca), Min. 0.75% Max. 1.25%	
Phosphorus (P), Min. 0.4%	
Salt (NaCl), Min. 0.2% Max. 0.7%	
Selenium (Se), Min. 0.3 ppm	
Vitamin A, Min. 6,000 IU per pound	

FEEDING DIRECTIONS

MoorMan's ShowTec Lamb Creep DC is designed to meet the exceptional needs of growing and blooming young show lambs. It contains a nutritionally balanced combination of vitamins, minerals and ingredients to creep genetically superior show lambs. ShowTec Lamb Creep DC should be fed to young lambs from 7 days of age until weaning at the rate of 0.033 lb per lb of body weight per day to provide 22.7 mg decoquinolate per 100 lb body weight (0.5 mg/kg) per day. Feed for at least 28 days during periods of coccidiosis exposure or when it is likely to be a hazard.

Lamb Body Wt (lb)	ShowTec Lamb Creep DC Daily Feeding Rate (lb)
15	0.5
20	0.67
30	1.0
40	1.3
50	1.67
60	2.0

ShowTec #1 Mineral Supplement should be fed free-choice to young lambs in addition to ShowTec Lamb Creep DC. To maximize creep consumption and performance, creep rations should be easily accessed by young livestock. This can be a well lighted, dry, draft-free area where dams typically lounge.

NOTE: Always provide clean, fresh water to lambs at all times. Lambs should be kept parasite free and current on all vaccinations and/or medications recommended by your veterinarian.

WARNING: Do not feed to sheep producing milk for food.

CAUTION: Do not use in feeds containing bentonite. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. For sheep only. No copper compounds are added to this feed. However, naturally occurring copper in feed ingredients may combine to yield detectable copper levels. Care should be taken to minimize additional copper from forage, water or other feed stuffs available to sheep.

11153AE



7 88399 80128 1

13022

ADM Animal Nutrition, a division of
Archer Daniels Midland Company
Quincy, IL 62305-3115

Net Weight 50 lb (22.67 kg) Or As Invoiced

MoorMan's®
ShowTec® Fast Fat 11156
A Supplement for Goats, Lambs, and Calves Being Fitted for Show

GUARANTEED ANALYSIS

Crude Protein, Min.	10.0%
Crude Fat, Min.	5.0%
Crude Fiber, Max.	3.5%
Calcium (Ca), Min. 0.7% Max.	1.0%
Phosphorus (P), Min.	0.5%
Potassium (K), Min.	0.5%
Selenium (Se), Min.	0.3 ppm
Vitamin A, Min.	2,000 IU per Pound

INGREDIENTS

Ground Corn, Feeding Oat Meal, Crimped Barley, Dried Whey, Dehulled Soybean Meal, Calcium Salts of Fatty Acids, Cane Molasses, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Brewers Dried Yeast (*Saccharomyces*), Sodium Sesquicarbonate, Sodium Propionate (A Preservative), Ethylenediamine Dihydrochloride, Salt, Manganous Oxide, Manganese Sulfate, Ferrous Sulfate, Cobalt Carbonate, Zinc Sulfate, Zinc Oxide, Sodium Molybdate, Sodium Selenite, Choline Chloride, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadiolone Sodium Bisulfite Complex, Riboflavin Supplement, Niacin, d-Calcium Pantothenate, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Artificial Flavor.

FEEDING DIRECTIONS

ShowTec Fast Fat is a conditioning supplement for calves weighing at least 600 lb, goats, and lambs. Top-dress rations for thin or stressed livestock with ShowTec Fast Fat at a rate of 8 to 16 oz per 100 lb of body weight per head per day. ShowTec Fast Fat can be fed during any phase of the feeding period to achieve desired body condition score.

Per day Feeding Examples:

Animal	ShowTec Fast Fat	ShowTec Base Ration	ShowTec #1 Mineral Supp.
100 lb Goats	8 oz	3 lb ShowTec Elite Goat DC	2 oz
125 lb Lambs	10 oz	3.75 lb ShowTec 15.5 Lamb DC	2.5 oz
800 lb Cattle	4 to 6 lb	20 lb ShowTec Cattle Grower BT	8 oz*

*Calves to be fed 1 ounce of ShowTec #1 Mineral Supplement per 100 lb of body weight per head per day.

NOTE: Base ration volumes figured for goat and lamb at 3% of body weight per head per day. Base ration volume figured for calves at 2.5% of body weight minus volume of ShowTec Fast Fat added to diet.

18622

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg)



7 89393 00090 1



MoorMan's® GROSTRONG® PRO-VITA-MIN 20-5 Tub
A Free-Choice Supplement for Horses on Pasture

GUARANTEED ANALYSIS

Crude Protein, not less than.....	20.00 %
Crude Fat, not less than.....	5.50 %
Crude Fiber, not more than.....	5.00 %
Acid Detergent Fiber, not more than.....	6.00 %
Neutral Detergent Fiber, not more than.....	10.00 %
Dietary Starch, Min.....	4.00 %
Sugar, Max.....	5.00 %
Calcium (Ca), not less than.....	1.75 %
Calcium (Ca), not more than.....	2.25 %
Phosphorus (P), not less than.....	1.00 %
Magnesium (Mg), not less than.....	3.00 %
Copper (Cu), not less than.....	315 ppm
Manganese (Mn), not less than.....	525 ppm
Selenium (Se), not less than.....	3.63 ppm
Selenium (Se), not more than.....	3.65 ppm
Zinc (Zn), not less than.....	800 ppm
Vitamin A, not less than 20,600 IU per pound.	
Vitamin D ₃ , not less than 2,650 IU per pound.	
Vitamin E, not less than 50 IU per pound.	
Biotin, Min.....	0.8 mg/lb

INGREDIENTS

Com Distillers Dried Grains with Solubles, Dehulled Soybean Meal, Corn Condensed Distillers Solubles, Soy Flour, Salt, Cane Molasses, Magnesium Oxide, Condensed Fermented Corn Extractives, Corn Germ Meal, Soybean Hulls, Vegetable Oil Refinery Lipid, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Zinc Oxide, Manganous Oxide, Copper Sulfate, Defluorinated Phosphate, Ferrous Sulfate, Mineral Oil, d-alpha Tocopheryl Acetate and d-alpha Tocopheryl Acetate (sources of Vitamin E), Biotin, Vitamin A Acetate, Cholecalciferol, Cobalt Carbonate, Calcium Pantothenate, Sodium Selenite, Thiamine Mononitrate, Riboflavin Supplement, Niacin Supplement, Potassium Iodide, Vitamin B₁₂ Supplement, L-Lysine.

INSTRUCTIONS FOR FEEDING

Feed GROSTRONG PRO-VITA-MIN 20-5 Tub free-choice to horses on pasture or roughage rations. Make sure animals have adequate pasture or roughage available and are not starved for salt or minerals. Feed GROSTRONG PRO-VITA-MIN 20-5 Tub continuously. Place tubs in pastures near areas frequented by horses, such as watering locations, shade or loafing areas. Place one tub for every 5 horses and place tubs far enough apart to prevent dominant horses from controlling more than one tub. Consumption may vary depending on number of horses per tub, climate, grazing conditions, condition of horses and/or availability of other feeds. Horses should consume 1 to 2 pounds per horse daily. In situations where climate and/or other factors result in consumption other than desired, intake of supplement can be increased or decreased by adding or reducing tubs per pasture. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com. Provide adequate forage and supplemental feed as needed to maintain the desired body condition. Provide free access to fresh, clean water at all times.

CAUTION: Consumption of this product by sheep and goats may result in copper toxicity. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115

NET WT 125 LB (56.68 kg)

06123

Lot No.

11228AAA6F





MoorMan's® GROSTRONG® PRO-VITA-MIN 20-5 Tub
A Free-Choice Supplement for Horses on Pasture

GUARANTEED ANALYSIS

Crude Protein, not less than	20.00 %
Crude Fat, not less than	5.50 %
Crude Fiber, not more than	5.00 %
Acid Detergent Fiber, not more than	6.00 %
Neutral Detergent Fiber, not more than	10.00 %
Dietary Starch, Min	4.00 %
Sugar, Max	5.00 %
Calcium (Ca), not less than	1.75 %
Calcium (Ca), not more than	2.25 %
Phosphorus (P), not less than	1.00 %
Magnesium (Mg), not less than	3.00 %
Copper (Cu), not less than	315 ppm
Manganese (Mn), not less than	525 ppm
Selenium (Se), not less than	3.63 ppm
Selenium (Se), not more than	3.65 ppm
Zinc (Zn), not less than	800 ppm
Vitamin A, not less than 20,600 IU per pound.	
Vitamin D ₃ , not less than 2,650 IU per pound.	
Vitamin E, not less than 50 IU per pound.	
Biotin, Min	0.8 mg/lb

INGREDIENTS

Com Distillers Dried Grains with Solubles, Dehulled Soybean Meal, Corn Condensed Distillers Solubles, Soy Flour, Salt, Cane Molasses, Magnesium Oxide, Condensed Fermented Corn Extractives, Corn Germ Meal, Soybean Hulls, Vegetable Oil Refinery Lipid, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Zinc Oxide, Manganous Oxide, Copper Sulfate, Defluorinated Phosphate, Ferrous Sulfate, Mineral Oil, d-alpha Tocopheryl Acetate and dl-alpha Tocopheryl Acetate (sources of Vitamin E), Biotin, Vitamin A Acetate, Cholecalciferol, Cobalt Carbonate, Calcium Pantothenate, Sodium Selenite, Thiamine Mononitrate, Riboflavin Supplement, Niacin Supplement, Potassium Iodide, Vitamin B₁₂ Supplement, L-Lysine.

INSTRUCTIONS FOR FEEDING

Feed GROSTRONG PRO-VITA-MIN 20-5 Tub free-choice to horses on pasture or roughage rations. Make sure animals have adequate pasture or roughage available and are not starved for salt or minerals. Feed GROSTRONG PRO-VITA-MIN 20-5 Tub continuously. Place tubs in pastures near areas frequented by horses, such as watering locations, shade or loafing areas. Place one tub for every 5 horses and place tubs far enough apart to prevent dominant horses from controlling more than one tub. Consumption may vary depending on number of horses per tub, climate, grazing conditions, condition of horses and/or availability of other feeds. Horses should consume 1 to 2 pounds per horse daily. In situations where climate and/or other factors result in consumption other than desired, intake of supplement can be increased or decreased by adding or reducing tubs per pasture. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com. Provide adequate forage and supplemental feed as needed to maintain the desired body condition. Provide free access to fresh, clean water at all times.

CAUTION: Consumption of this product by sheep and goats may result in copper toxicity. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115

NET WT 200 LB (90.71 kg)

06123



Lot No.

11228BL

MoorMan's®
ShowTec® Ewe Breeder Feed
11258

A Supplement for Sheep, Alpacas, Llamas and Pygmy Goats

GUARANTEED ANALYSIS

Crude Protein, Min.	14.0%
<i>(This includes not more than 1.25% equivalent crude protein from non-protein nitrogen.)</i>	
Crude Fat, Min.	4.0%
Crude Fiber, Max.	19.0%
Calcium (Ca), Min.	1.10% Max.
Phosphorus (P), Min.	0.45%
Salt (NaCl), Min.	0.3% Max.
Selenium (Se), Min.	0.75 ppm
Vitamin A, Min.	16,500 IU per Pound

INGREDIENTS

Processed Grain By-Products, Soybean Hulls, Grain Products, Ammonium Chloride, Vegetable Oil, Lignin Sulfonate, Salt, Plant Protein Products, Cane Molasses, Sodium Propionate (a preservative), Calcium Carbonate, Magnesium Oxide, Monocalcium Phosphate, Dicalcium Phosphate, Bentonite, Hydrated Sodium Calcium Aluminosilicate, Natural and Artificial Flavors, Extracted Citric Acid Presscake, Vitamin E Supplement, Manganous Oxide, Zinc Oxide, Potassium Sulfate, Vitamin A Supplement, Sodium Molybdate, Ferrous Sulfate, Thiamine Mononitrate, Mineral Oil, Potassium Iodide, Vitamin D₃ Supplement, Sodium Selenite, Cobalt Carbonate.

FEEDING DIRECTIONS

EWES: Feed ShowTec Ewe Breeder Feed to ewes during late gestation and during lactation at the rate of 1.5 to 2.0 lb per head per day depending on the body condition of the ewe, the quality of the forage and the number of lambs nursing. Feed at least 1.5 lb of forage to ewes with each pound of ShowTec Ewe Breeder Feed.

PYGMY GOATS: Feed 0.5 to 2.0 lbs per head per day depending on body condition to growing goats, dry does, lactating does and bucks.

ALPACA AND LLAMAS: Feed at the rate of 1 lb per head per day to growing alpacas and llamas or for maintenance.

FOR ALL: Always feed good quality pasture or hay free-choice. Provide clean, fresh water at all times. Provide mineral supplementation as desired.

CAUTION: This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. For sheep, alpacas, llamas and pygmy goats only. All multi-species feeds leave nutritional gaps due to differences in nutritional requirements of each species. When feeding this, or any other multi-species feed, it is recommended that a species-specific mineral supplement be fed. 26319

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition®
MaxLean® GF Comp 1.10
12164AAA

A Complete Feed for Growing-Finishing Swine

GUARANTEED ANALYSIS

Crude Protein		(Min)	16.00 %
Lysine		(Min)	1.10 %
Crude Fat		(Min)	3.00 %
Crude Fiber		(Max)	5.00 %
Calcium	(Min) 0.45	(Max)	0.95 %
Phosphorus		(Min)	0.40 %
Salt	(Min) 0.25	(Max)	0.75 %
Selenium		(Min)	0.30 ppm
Zinc		(Min)	135 ppm

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Salt, L-Lysine, L-Threonine, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Mineral Oil, Calcium Iodate, Roughage Products, Dehydrated Aspergillus Niger Fermentation Product, Sodium Selenite, Calcium Pantothenate, Vitamin E Supplement, Niacin Supplement, Menadione Dimethylpyrimidinol Bisulfite, Riboflavin Supplement, Vitamin A Supplement, Vitamin B₁₂ Supplement, Vitamin D₃ Supplement, L-Tryptophan, Dried Trichoderma reesei Fermentation Product, DL-Methionine, Dehydrated Pichia Pastoris Fermentation Extract.

FEEDING DIRECTIONS

This product is a complete feed. Feed continuously as the sole ration as directed by your ADM Animal Nutrition representative. Provide clean, fresh water at all times.

14821

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



MoorMan's®
ShowTec® BB 18 BMD/DBZ
18241PLM

▶ MEDICATED ◀

For Growing Pigs Being Fed for Exhibition
 For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate 30 grams/ton

An insect growth regulator, which prevents the development of manure-breeding flies in the manure of treated swine (including nursery, grow-finish, and breeding stock).

ACTIVE INGREDIENT:

Diflubenzuron (CAS # 35367-38-5) 0.001%

OTHER INGREDIENTS:

..... 99.999%

Contains 4.635 mg of diflubenzuron per lb. Total 100.0000%

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 18.0%	Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls,
Lysine, Min. 1.05%	Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium
Crude Fat, Min. 3.75%	Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate,
Crude Fiber, Max. 4.0%	Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Calcium Propionate
Calcium, Min. 0.6% Max. 1.1%	(A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid
Phosphorus, Min. 0.65%	Preascorbic Acid, Copper Sulfate, Choline Chloride, Ferrous Sulfate, Zinc
Salt, Min. 0.1% Max. 0.6%	Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture
Selenium, Min. 0.3 ppm	(Saccharomyces cerevisiae), Diatomaceous Earth, Zinc Oxide, L-
Zinc, Min. 800 ppm	Lysine, Methionine, Natural and Artificial Flavors, Biotin, d-alpha
	Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate,
	Niacin Supplement, Vitamin A Supplement, Menadione
	Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin
	Supplement, Folic Acid, Vitamin B ₁₂ Supplement, Vitamin D ₃
	Supplement, Selenium Yeast, Dried Trichoderma reesei fermentation
	product, Dehydrated Pichia Pastoris Fermentation Extract.

KEEP OUT OF REACH OF CHILDREN

CAUTION

USE AND MIXING DIRECTIONS

STORAGE AND DISPOSAL: Do not contaminate water or food by storage or disposal.

STORAGE: Store in a cool, dry place. Do not contaminate with pesticides or fertilizer.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FEEDING DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product only prevents the development of house flies, stable flies, face flies, horn flies and manure breeding flies in the manure of treated swine, but is not effective against existing adult flies. Begin use early in the spring, 30 days before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity. In some cases, supplemental fly control measure may be needed in and around pastures, barns, and feedlots to control adult house and stable flies which can breed in other decaying, organic matter or silage in the area, or that migrate in from other locations.

ShowTec BB 18 BMD/DBZ is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ShowTec product for the weight of the pigs being fed. Feed at the rate of 5.0 lbs per head per day to animals weighing 250 lbs to provide 0.2 mg diflubenzuron per kg of body weight per day. The higher inclusion rate for diflubenzuron (0.2 to 0.3 mg/kg allowed) is to be used for lighter weight pigs. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite. 26523

ADM Animal Nutrition, a division of Archer Daniels Midland Company,
 Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition®

CBP Plus

53616AAA

For Growing Beef Cattle on Pasture

GUARANTEED ANALYSIS

Crude Protein, Min.	16.0%
Crude Fat, Min.	1.5%
Crude Fiber, Max.	17.5%
Calcium (Ca), Min. 1.35% Max.	1.85%
Phosphorus (P), Min.	0.6%
Potassium (K), Min.	0.6%

INGREDIENTS

Processed Grain By-Products, Roughage Products, Grain Products, Calcium Carbonate, Molasses Products, Plant Protein Products, Extracted Citric Acid Presscake.

FEEDING DIRECTIONS

Feed at the rate of 2 to 8 lbs per head per day to growing beef cattle. Provide ADM Animal Nutrition minerals, salt and clean, fresh water at all times.

00116

ADM Animal Nutrition, a division of

Archer Daniels Midland Company, Quincy, IL 62305-3115

Net Weight 50 lb (22.67 kg) Or As Invoiced

ADM Animal Nutrition®
Roughage Buster® 80-10 Breed Right
54707AAA

For Beef Cattle on Pasture or Range

GUARANTEED ANALYSIS

Crude Protein		(Min)		80.0 %
(This includes not more than 70.0% equivalent crude protein from biuret, triuret, cyanuric acid and urea, of which not more than 25.0% is from urea.)				
Crude Fat		(Min)		10.0 %
Crude Fiber		(Max)		5.0 %
Calcium	(Min)	4.8	(Max)	5.8 %
Phosphorus		(Min)		2.75 %
Salt	(Min)	9.6	(Max)	11.5 %
Magnesium		(Min)		1.0 %
Potassium		(Min)		none added
Cobalt		(Min)		100 ppm
Copper		(Min)		600 ppm
Iodine		(Min)		100 ppm
Manganese		(Min)		1,800 ppm
Selenium		(Min)		6.6 ppm
Zinc		(Min)		2,400 ppm
Vitamin A		(Min)		150,000 IU/lb
Vitamin D		(Min)		15,000 IU/lb
Vitamin E		(Min)		150 IU/lb

INGREDIENTS

Feed Grade Biuret, Monocalcium Phosphate, Processed Grain By-Products, Calcium Salts of Fatty Acids, Plant Protein Products, Salt, Magnesium Carbonate, Urea, Extracted Citric Acid Presscake, Vegetable Oil, Molasses Products, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Selenium Yeast, Ethylenediamine Dihydroiodide, Vitamin A Supplement, Calcium Sulfate, Cobalt Carbonate, Lactic Acid, Vitamin D3 Supplement, Vitamin E Supplement, Saccharin Sodium, Natural and Artificial Flavors, d-alpha Tocopheryl Acetate.

FEEDING DIRECTIONS

Use this product when supplemental protein is needed in addition to mineral and vitamin supplementation. When starting to feed this product, remove salt and other minerals. Feed at the rate of 0.25 to 1.0 pounds per head daily to beef cattle consuming grass forage. Provide clean fresh water at all times.

If consumption is more than recommended, feed salt in addition to this product. If consumption is less than recommended, make sure no other source of salt is available and increase the number of feeding stations, or relocate to areas more frequented by cattle.

WARNING: This feed should be used only in accordance with instructions furnished on the label.

CAUTION: Consumption of this product by sheep and goats may result in copper toxicity. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration.

NOTE: To be fed as the sole source of selenium. Beef Cattle should not receive more than 3 mg selenium. When mixed, rations should not contain more than 0.3 ppm selenium.

13723

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced

ADM 30/15 Cattle Tub

A Free-Choice Supplement for Beef Cattle on Pasture or Roughage Rations

GUARANTEED ANALYSIS

Crude Protein, min.....	30.00 %
(This includes not more than 15% equivalent crude protein from non-protein nitrogen.)	
Crude Fat, min.....	3.00 %
Crude Fiber, max.....	4.50 %
Calcium (Ca), min..... 4.25% max.....	5.25 %
Phosphorus (P), min.....	0.30 %
Salt (NaCl), min..... 25.50 % max.....	31.50 %
Magnesium (Mg), min.....	0.60 %
Potassium (K), min.....	0.5 ppm
Cobalt (Co), Min.....	1.0 ppm
Copper (Cu), Min.....	60.0 ppm
Iodine (I), Min.....	5 ppm
Manganese (Mn), Min.....	180 ppm
Selenium (Se), Min.....	1.0 ppm
Zinc (Zn), Min.....	240 ppm
Vitamin A, not less than 38,500 IU per pound.	
Vitamin D, not less than 10,000 IU per pound.	
Vitamin E, not less than 10 IU per pound.	

INGREDIENTS

Processed Grain By-Products, Salt, Calcium Carbonate, Plant Protein Products, Molasses Products, Urea, Vegetable Oil, Magnesium Oxide, Monocalcium Phosphate, Dicalcium Phosphate, Manganous Oxide, Zinc Oxide, Basic Copper Chloride, Defluorinated Phosphate, Ferrous Sulfate, Vegetable Oil, Potassium Sulfate, Potassium Iodide, Cobalt Carbonate, Ethylenediamine Dihydrochloride, Sodium Selenite, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin A Supplement, Vitamin E Supplement.

INSTRUCTIONS FOR FEEDING

Feed free-choice to beef cattle on pasture or roughage rations. Make sure animals have adequate pasture or roughage available and are not starved for salt or minerals. Feed continuously. Recommended consumption of ADM 30-15 Cattle Tub is 1.0 to 6.0 lb per head per day. A two week adaptation period may be required to establish a base consumption. Consumption of this product will vary according to the weight of the animal and the quality and amount of available forage. Management of the number and location of tubs by the producer may be required to achieve target intakes. Increase the number of tubs and move the tubs closer to water or loafing areas to increase intake. Decrease the number of tubs or move farther from water or loafing areas to decrease intake. A 10-day supply of this tub may be put out at one time. Provide at least one tub for every 15 to 20 animals. Test your forages to determine the actual supplementation needs of your cattle. Consumption over or under the recommended levels may be adequate based on nutrient needs. CAUTION: Consumption of this product by sheep and goats may result in copper toxicity. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed.

ADM Animal Nutrition, a division of, Archer Daniels Midland Company, Quincy, IL 62305-3115

NET WT 200 LB (90.71 kg)

22923

Lot No.

55176AAA6H

ADM 20 All-Stock Tub with Garlium™

For Beef Cattle, Sheep, Goats and Horses on Pasture or Roughage Rations

GUARANTEED ANALYSIS

Crude Protein, min.....	20.0 %
Crude Fat, min.....	3.0 %
Crude Fiber, max.....	5.0 %
Acid Detergent Fiber, Max.....	10.0 %
Neutral Detergent Fiber, Max.....	15.0 %
Calcium (Ca), min..... 1.00% max.....	1.50 %
Phosphorus (P), min.....	0.5 %
Salt (NaCl), min..... 19.5 % max.....	22.5 %
Magnesium (Mg), min.....	1.20 %
Potassium (K), min.....	0.70 ppm
Cobalt (Co), Min.....	1.5 ppm
Copper (Cu), Min.....	none added
Iodine (I), Min.....	8 ppm
Manganese (Mn), Min.....	300 ppm
Selenium (Se), Min.....	3.3 ppm
Zinc (Zn), Min.....	200 ppm
Vitamin A, not less than 25,000 IU per pound.	
Vitamin D, not less than 2,500 IU per pound.	
Vitamin E, not less than 25 IU per pound.	

INGREDIENTS

Processed Grain By-Products, Salt, Plant Protein Products, Molasses Products, Calcium Carbonate, Magnesium Oxide, Sodium Selenite, Natural Flavor, Vegetable Oil, Monocalcium Phosphate, Dicalcium Phosphate, Manganous Oxide, Zinc Oxide, Ethylenediamine Dihydrochloride, Cobalt Glucoheptonate, Ferrous Sulfate, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement.

INSTRUCTIONS FOR FEEDING

Feed ADM 20 All-Stock Tub w/Garlium free-choice to cattle, sheep and goats on pasture. Make sure animals have adequate pasture or roughage available and are not starved for salt or minerals. Feed continuously. A two week adaptation period may be required to establish a base consumption. Recommended consumption is 1.0 lb to 2.0 lb per head daily for cattle, and from 0.25 to 0.50 lb per head daily for sheep and goats. A 10-day supply may be put out at one time. Provide at least one tub for every 20 to 30 animals. Consumption of the tubs will vary according to the weight of the animal and the quality and amount of available forage. Test your forages to determine the actual supplementation needs of your animals. Consumption over or under the recommended levels may be adequate based on nutrient needs. If pasture and/or roughage supply inadequate energy for satisfactory growth, performance or body condition, supplemental grain or good quality roughage should be fed. Provide clean, fresh water at all times. WARNING: Care should be taken to minimize additional copper from forage, water or other feed stuffs available to sheep. All multi-species feeds leave nutritional gaps due to differences in nutritional requirements of each species. When feeding this, or any other multi-species feed, it is recommended that a species-specific mineral supplement be fed.

07220

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
NET WT 200 LB (90.71 kg)

Lot No.

55180AAA6H

Pen Pals®
Chicken Starter-Grower
70009ACF

▶ **MEDICATED** ◀

A Complete Feed for Starting and Growing Pullets

Replacement chickens: For development of active immunity to coccidiosis; and for increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENTS

Bacitracin Methylene Disalicylate	25 gm/lb
Amprolium	0.0125%

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	0.9%
Methionine, Min.	0.3%
Crude Fat, Min.	3.0%
Crude Fiber, Max.	7.0%
Calcium (Ca), Min.	1.0% Max. 1.5%
Phosphorus (P), Min.	0.6%
Salt (NaCl), Min.	0.3% Max. 0.8%
Vitamin A, Min.	4,100 IU per pound

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B12 Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried *Trichoderma reesei* Fermentation Product, Methionine, Artificial and Natural Flavors, *d*-alpha Tocopheryl Acetate (Source of Vitamin E), Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

Feed continuously as the sole ration under conditions of severe exposure to coccidiosis up to or over 8 weeks of age, until onset of production to replacement chickens. Provide clean, fresh water at all times.

CAUTION: For replacement chickens only. Do not use in feeds containing bentonite.

27723

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 70001 4

PATRIOT®

Performance 80021AAA

A feed for all ages and lifestyles of horses

GUARANTEED ANALYSIS		INGREDIENTS	
Crude Protein, Min.	14.0 %	Wheat Middlings, Soybean Hulls, Vegetable Oil, Dehydrated Alfalfa Meal, Ground Corn, Cane Molasses, Dehulled Soybean Meal, Lignin Sulfonate, Calcite, Salt, Calcium Carbonate, L-Lysine, Calcium Propionate (A Preservative), Brewers Dried Yeast, Biotin, Vitamin A Supplement, Thiamine Mononitrate, Vitamin E Supplement, Riboflavin Supplement, d-alpha Tocopheryl Acetate, Calcium Pantothenate, Niacin Supplement, Vitamin D3 Supplement, Vitamin B12 Supplement, Extracted Citric Acid Presscake, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, Sodium Selenite, Manganous Oxide, Monocalcium Phosphate, Dicalcium Phosphate, Zinc Oxide, Copper Sulfate, Magnesium Oxide, Defluorinated Phosphate, Ferrous Sulfate, Potassium Iodide, Cobalt Carbonate, DL-Methionine, Natural and Artificial Flavors, L-Threonine, Manganese Amino Acid Complex, Zinc Amino Acid Complex, Copper Amino Acid Complex.	
Lysine, Min.	0.9 %		
Methionine, Min.	0.3 %		
Threonine, Min.	0.5 %		
Crude Fat, Min.	8.0 %		
Crude Fiber, Max.	20.0 %		
Acid Detergent Fiber, Max.	20.0 %		
Neutral Detergent Fiber, Max.	40.0 %		
Dietary Starch, Max.	16.5 %		
Sugar, Max.	5.5 %		
Calcium (Ca), Min. 0.7 % Max.	1.2 %		
Phosphorus (P), Min.	0.5 %		
Copper (Cu), Min.	50 ppm		
Selenium (Se), Min.	0.6 ppm		
Zinc (Zn), Min.	160 ppm		
Vitamin A, Min.	3,500 IU/lb		
Vitamin D3, Min.	500 IU/lb		
Vitamin E, Min.	120 IU/lb		
Biotin, Min.	1.0 mg/lb		
Lactobacillus acidophilus, Min.	10,200,000 CFU/lb		
Lactobacillus casei, Min.	10,200,000 CFU/lb		
Bifidobacterium thermophilum, Min.	10,200,000 CFU/lb		
Enterococcus faecium, Min.	10,200,000 CFU/lb		
Contains a source of live (viable) naturally occurring microorganisms			

FEEDING DIRECTIONS

Feed 0.5 to 0.75 lb of Patriot Performance for every 100 lb of body weight (5.5 to 8.25 lb per 1100 lb horse) along with at least 20 lb of good-quality forage divided into at least two meals per day. Do not feed more than 0.4 lb/100 lb body weight per meal. Adjust feeding rate for each individual horse to maintain the desired body condition. If your horse needs less than 0.4 lb/100 lb bodyweight of Patriot Performance to maintain condition, provide a GROSTRONG® Vitamin and Mineral product according to label directions. Always provide clean, palatable water and salt on a free-choice basis. Any feed changes should be made gradually over 7 to 10 days. See bag for additional details. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com

WARNING: This feed contains copper. Do not feed to sheep or other copper sensitive species. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

10124

ADM Animal Nutrition, a division of
Archer Daniels Midland Company Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80036 3

PATRIOT®

Mare & Foal 8002AAA

For Foals, Growing Horses and Broodmares

GUARANTEED ANALYSIS		INGREDIENTS
Crude Protein, Min.	16.0%	Wheat Middlings, Soybean Hulls, Dehulled
Lysine, Min.	1.0%	Soybean Meal, Heat Stabilized Rice Bran,
Methionine, Min.	0.45%	Cane Molasses, Vegetable Oil,
Threonine, Min.	0.65%	Dehydrated Alfalfa Meal, Lignin Sulfonate,
Crude Fat, Min.	8.0%	Calcium Carbonate, Ground Corn, Salt, L-
Crude Fiber, Max.	15.0%	Lysine, DL-Methionine, Calcite, Calcium
Acid Detergent Fiber, Max.	21.0%	Propionate (A Preservative), L-Threonine,
Neutral Detergent Fiber, Max.	40.0%	Manganese Oxide, Monocalcium
Dietary Starch, Max.	16.5%	Phosphate, Dicalcium Phosphate, Zinc
Sugar, Max.	6.5 %	Oxide, Copper Sulfate, Magnesium Oxide,
Calcium (Ca), Min.	0.9% Max. 1.4%	Defluorinated Phosphate, Ferrous Sulfate,
Phosphorus (P), Min.	0.5%	Potassium Iodide, Cobalt Carbonate,
Copper (Cu), Min.	75 ppm	Brewers Dried Yeast, Plant Protein
Selenium (Se), Min.	0.6 ppm	Products, Biotin, Vitamin A Supplement,
Zinc (Zn), Min.	220 ppm	Thiamine Mononitrate, Vitamin E
Vitamin A, Min.	5,000 IU/lb	Supplement, Riboflavin Supplement, d-
Vitamin D3, Min.	500 IU/lb	alpha Tocopheryl Acetate, Calcium
Vitamin E, Min.	150 IU/lb	Pantothenate, Niacin Supplement, Vitamin
Biotin, Min.	1.0 mg/lb	D3 Supplement, Vitamin B12 Supplement,
Lactobacillus acidophilus, Min.	10,200,000 CFU/lb	Extracted Citric Acid Presscake, Dried
Lactobacillus casei, Min.	10,200,000 CFU/lb	Lactobacillus acidophilus Fermentation
Bifidobacterium thermophilum, Min.	10,200,000 CFU/lb	Product, Dried Lactobacillus casei
Enterococcus faecium, Min.	10,200,000 CFU/lb	Fermentation Product, Dried
Contains a source of live (viable) naturally occurring microorganisms		Bifidobacterium thermophilum
		Fermentation Product, Dried Enterococcus
		faecium Fermentation Product, Sodium
		Selenite, Natural and Artificial Flavors,
		Manganese Amino Acid Complex, Zinc
		Amino Acid Complex, Copper Amino Acid
		Complex.

FEEDING DIRECTIONS

Feed foals and weanlings (less than 12 months of age) 1.0 to 1.5 lb of Patriot Mare & Foal for every 100 lb body weight in at least two feedings along with good-quality hay. Feed yearlings (13 to 18 months) 0.7 to 1.2 lb of Patriot Mare & Foal for every 100 lb body weight in at least two feedings along with good-quality hay. Feed mature broodmares 0.5 to 1.0 lb of Patriot Mare & Foal for every 100 lb body weight (5 to 10 lb per 1100 lb horse) divided into at least two meals per day along with at least 20 lb of good-quality forage divided. Do not feed more than 0.4 lb/100 lb body weight per meal. Adjust feeding rate for each individual horse to maintain the desired body condition. If your horse needs less than the recommended feeding rate of Patriot Mare & Foal to maintain condition, provide a GROSTRONG® Vitamin and Mineral product according to label directions. Always provide clean, palatable water and salt on a free choice basis. Any feed changes should be made gradually over 7 to 10 days. See bag for additional details. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com. **WARNING:** This feed contains copper. Do not feed to sheep or other copper sensitive species. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

8002AAA

07224

ADM Animal Nutrition, a division of
Archer Daniels Midland Company Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80097 4

PATRIOT®

Senior Complete 80029AAA

For Mature Horses

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min.14.0 %	Wheat Middlings, Soybean Hulls,
Lysine, Min.0.8 %	Dehydrated Alfalfa Meal, Vegetable Oil,
Methionine, Min.0.3 %	Lignin Sulfonate, Cane Molasses, Dehulled
Threonine, Min.0.5 %	Soybean Meal, Calcium Carbonate, Salt,
Crude Fat, Min.7.0 %	Monocalcium Phosphate, L-Lysine,
Crude Fiber, Max.20.0 %	Calcium Propionate (A Preservative),
Acid Detergent Fiber, Max.27.0 %	Brewers Dried Yeast, Biotin, Vitamin A
Neutral Detergent Fiber, Max.44.0 %	Supplement, Thiamine Mononitrate,
Dietary Starch, Max.13.0 %	Vitamin E Supplement, Riboflavin
Sugar, Max.6.0 %	Supplement, d-alpha Tocopheryl Acetate,
Calcium (Ca), Min.0.7 % Max.1.2 %	Calcium Pantothenate, Niacin Supplement,
Phosphorus (P), Min.0.6 %	Vitamin D3 Supplement, Vitamin B12
Copper (Cu), Min.40 ppm	Supplement, DL-Methionine, Natural and
Selenium (Se), Min.0.3 ppm	Artificial Flavors, Manganous Oxide,
Zinc (Zn), Min.140 ppm	Dicalcium Phosphate, Zinc Oxide, Copper
Vitamin A, Min.4,500 IU/lb	Sulfate, Magnesium Oxide, Defluorinated
Vitamin D3, Min.500 IU/lb	Phosphate, Ferrous Sulfate, Potassium
Vitamin E, Min.150 IU/lb	Iodide, Cobalt Carbonate, Hydrolyzed
Biotin, Min.1.0 mg/lb	Yeast Cell Wall, Saccharomyces
Lactobacillus acidophilus, Min.3,400,000 CFU/lb	Cerevisiae Fermentation Solubles, Sodium
Lactobacillus casei, Min.3,400,000 CFU/lb	Selenite, Dried Lactobacillus acidophilus
Bifidobacterium thermophilum, Min.3,400,000 CFU/lb	Fermentation Product, Dried Lactobacillus
Enterococcus faecium, Min.3,400,000 CFU/lb	casei Fermentation Product, Dried
Contains a source of five (viable) naturally occurring microorganisms	
Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, L- Threonine, Manganese Amino Acid Complex, Zinc Amino Acid Complex, Copper Amino Acid Complex.	

FEEDING DIRECTIONS

Patriot Senior Complete is formulated to be fed as the sole diet without additional forage. Feed 1.4 to 2.0 lb of Patriot Senior Complete for every 100 lb of body weight (15.5 to 22 lb per 1100 lb horse). Offer in 3 or more equal feedings when fed as the sole diet. When fed alongside forage, feed 0.7 to 1 lb of Patriot Senior Complete for every 100 lb body weight (7.5 to 11 lb per 1100 lb horse). Adjust feeding rate for each individual horse to maintain desired body condition. If your horse needs less than 0.6 lb per 100 lb bodyweight, provide a GROSTRONG® vitamin and mineral product according to label directions. Provide clean, fresh water at all times and salt on a free-choice basis. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information visit www.ADMequine.com.

WARNING: Consumption of this product by sheep or other copper sensitive species may result in copper toxicity. Follow label directions. Feeding added selenium at levels in excess of 0.3ppm in the total diet is prohibited.

31923

ADM Animal Nutrition, a division of
Archer Daniels Midland Company Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80033 2

Pen Pals®
EGG MAKER CONCENTRATE
80101AAA

A Supplement for Pullet Starter, Grower and Layer Chickens

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 38.0%	Plant Protein Products, Processed Grain By-Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Vegetable Oil, Roughage Products, DL-Methionine, Manganous Oxide, Manganous Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Calcium Carbonate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menedione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin, d-Calcium Pantothenate, Thiamine Mononitrate, Vitamin B12, Biotin, Pyridoxine Hydrochloride, Folic Acid, Extracted Citric Acid Presoak, Sodium Selenite, Choline Chloride, Dried Trichoderma reesei Fermentation Product, Artificial and Natural Flavors, Calcium Propionate (A Preservative), Dehydrated Pichia Pastoris Fermentation Extract.
Lysine, Min. 2.0%	
Methionine, Min. 0.85%	
Crude Fat, Min. 3.0%	
Crude Fiber, Max. 10.0%	
Calcium (Ca), Min. 2.8%	
Calcium (Ca), Max. 3.8%	
Phosphorus (P), Min. 1.2%	
Salt (NaCl), Min. 1.0%	
Salt (NaCl), Max. 1.5%	
Vitamin A, Min. 10,000 IU per pound	
Vitamin D3, Min. 4,500 IU per pound	

MIXING DIRECTIONS

	Pullet Starter	Pullet Grower	18% Layer	17% Layer	16% Layer	15% Layer
Corn	1275	1370	1130	1190	1250	1300
Egg Maker Conc	725	825	725	860	590	530
Limestone	—	5	145	150	160	170
Total	2000	2000	2000	2000	2000	2000
Crude Protein, %	18.5	17.00	18.00	17.00	16.00	15.00
Crude Fat, %	3.2	3.2	3.0	2.95	2.95	2.95
ME kcal/lb.	1407	1424	1294	1300	1310	1315
ME kcal/kg	3095	3132	2846	2880	2882	2893
Calcium, %	1.03	1.00	3.80	3.92	3.93	4.04
Av Phos, %	0.49	0.43	0.48	0.44	0.40	0.37
Sodium, %	0.20	0.17	0.20	0.18	0.17	0.15
Arginine, %	1.20	1.06	1.15	1.07	1.00	0.93
Lysine, %	0.98	0.87	0.96	0.89	0.77	0.76
Methionine, %	0.43	0.39	0.42	0.40	0.37	0.35
Met & Cys, %	0.78	0.70	0.72	0.69	0.64	0.61
Threonine, %	0.60	0.63	0.66	0.64	0.60	0.58
Tryptophan, %	0.22	0.20	0.22	0.20	0.19	0.17

Using 7.5% protein content for corn and 38% protein content for concentrate.

Feed mix as the sole ration by blending Egg Maker Concentrate, grain and limestone. Provide grit and clean, fresh water at all times.

28423

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80016 5

PATRIOT®

FEED EASY® COMPLETE 80128AAA

For Performance Horses and Broodmares

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 14.0%	Wheat Middlings, Soybean Hulls, Dehydrated Alfalfa Meal, Corn Germ Meal, Cane Molasses, Ground
Lysine, Min. 0.75 %	Corn, Dehulled Soybean Meal, Calcium Carbonate,
Methionine, Min. 0.3 %	Salt, Feeding Oat Meal, Vegetable Oil, Brewers
Threonine, Min. 0.5 %	Dried Yeast (Saccharomyces), Calcium Propionate
Crude Fat, Min. 2.5%	(A Preservative), L-Lysine, Methionine, Biotin,
Crude Fiber, Max. 24.0%	Vitamin A Supplement, Thiamine Mononitrate,
Acid Detergent Fiber, Max. 29.0%	Vitamin E Supplement, Riboflavin Supplement, α -
Neutral Detergent Fiber, Max. 46.0%	alpha Tocopheryl Acetate, Calcium Pantothenate,
Dietary Starch, Max. 17.0%	Niacin Supplement, Vitamin D3 Supplement, Vitamin
Sugar, Max. 5.0 %	B12 Supplement, Extracted Citric Acid Presscake,
Calcium (Ca), Min. 0.4% Max. 0.9%	Sodium Selenite, Manganous Oxide, Monocalcium
Phosphorus (P), Min. 0.35%	Phosphate, Dicalcium Phosphate, Zinc Oxide, Basic
Copper (Cu), Min. 50 ppm	Copper Chloride, Magnesium Oxide, Defluorinated
Selenium (Se), Min. 0.3 ppm	Phosphate, Ferrous Sulfate, Potassium Iodide,
Zinc (Zn), Min. 160 ppm	Cobalt Carbonate, Copper Amino Acid Complex,
Vitamin A, Min. 3,000 IU/lb	Manganese Amino Acid Complex, Zinc Amino Acid
Vitamin D3, Min. 300 IU/lb	Complex, Dried Lactobacillus acidophilus
Vitamin E, Min. 75 IU/lb	Fermentation Product, Dried Lactobacillus casei
Biotin, Min. 0.6 mg/lb	Fermentation Product, Dried Bifidobacterium
Lactobacillus acidophilus, Min. 3,400,000 CFU/lb	thermophilum Fermentation Product, Dried
Lactobacillus casei, Min. 3,400,000 CFU/lb	Enterococcus faecium Fermentation Product,
Bifidobacterium thermophilum, Min. 3,400,000 CFU/lb	Enterococcus faecium Fermentation Product,
Enterococcus faecium, Min. 3,400,000 CFU/lb	Natural and Artificial Flavors, L-Threonine.
Contains a source of live (viable) naturally occurring microorganisms	

FEEDING DIRECTIONS

Patriot Feed Easy Complete is formulated to be fed as the sole diet without additional forage. Feed 1.2 to 2.0 lb of Patriot Feed Easy Complete for every 100 lb of body weight (13 to 22 lb per 1100 lb horse) for mature horses of maintenance or work. Feed 1.3 to 2.5 lb of Patriot Feed Easy Complete for every 100 lb of body weight (14 to 28 lb per 1100 lb horse) for gestating and lactating broodmares. Offer in 3 or more equal feedings when fed as the sole diet. When fed alongside forage, feed 0.6 to 1 lb of Patriot Feed Easy Complete for every 100 lb body weight (6.0 to 11 lb per 1100 lb horse). When forage is in short supply, 1 lb of Patriot Feed Easy Complete can be used to replace 1.4-lbs of forage. Adjust feeding rate for each individual horse to maintain desired body condition. If your horse needs less than 0.6 lb per 100 lb bodyweight, provide a GROSTRONG® vitamin and mineral product according to label directions. Provide clean, fresh water at all times. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information visit www.ADMequine.com.

WARNING: This feed contains copper. Do not feed to sheep or other copper sensitive species. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

28623



ADM Animal Nutrition, a division of
Archer Daniels Midland Company
Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As
Invoiced

ADM Animal Nutrition®
Meat Goat Power™ 18%

80864CAU

▶ **MEDICATED** ◀

For Young Goats

For the prevention of coccidiosis caused by *Eimeria cranellii*, *E. christenseni* and *E. ninakohlyukimovae*

ACTIVE DRUG INGREDIENT

Monensin.....(10 mg/lb.).....20 gms/lb

GUARANTEED ANALYSIS

Crude Protein, Min.18.0%
(This includes not more than 1.35% equivalent crude protein from non-protein nitrogen.)
Crude Fat, Min.2.0%
Crude Fiber, Max.11.0%
Acid Detergent Fiber, Max.16.0%
Calcium (Ca), Min.1.0% Max.1.5%
Phosphorus (P), Min.0.5%
Salt (NaCl), Min.0.2% Max.0.7%
Copper (Cu), Min.25 ppm Max.35 ppm
Selenium (Se), Min.0.3 ppm
Vitamin A, Min.8,000 IU per Pound

INGREDIENTS

Processed Grain By-Products, Plant Protein Products, Grain Products, Roughage Products, Forage Products, Molasses Products, Calcium Carbonate, Ammonium Chloride, Lignin Sulfonate, Diatomaceous Earth, Vegetable Oil, Salt, Calcium Propionate (A Preservative), Magnesium Oxide, Ferrous Sulfate, Cobalt Carbonate, Copper Sulfate, Calcium Iodate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Calcium Sulfate, Sodium Selenite, Bentonite, Hydrated Sodium Calcium Aluminosilicate, Extracted Citric Acid Presscake, Natural and Artificial Flavors, Zinc Amino Acid Complex, Thiamine Mononitrate, Vitamin E Supplement, Vitamin A Supplement, Vitamin D3 Supplement.

FEEDING DIRECTIONS

Feed complete feed continuously as the sole ration to starting, growing, non-lactating dairy and meat kid goats. Provide clean, fresh water at all times, and an appropriate amount of forages. Make sure goats have access to clean, fresh water and forage at all times. ADM Animal Nutrition Goat Power Minerals should be offered free-choice at all times.

WARNING: This feed contains copper. Do not feed to sheep or other copper sensitive species. Angora and pygmy breeds have been reported to be sensitive to copper supplementation.

CAUTION: Do not allow horses or other equines access to feeds containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated feed is intended for use in cattle or in goats. Consumption by unapproved species may result in toxic reaction. Do not exceed the levels of monensin recommended in the feeding directions, as reduced daily gains may result. Feed only to goats being fed in confinement. Do not feed to lactating goats. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. Use only as directed. For goats only.

31423

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced

ADM Animal Nutrition®
Meat Goat Power™ 16% MON
80865CAU

▶ MEDICATED ◀

A Complete Grain Mix for Young Goats

For the prevention of coccidiosis caused by *Eimeria cranwellii*, *E. christlenseni* and *E. ninakohlyakimovae*

ACTIVE DRUG INGREDIENT

Monensin.....(10 mg/lb.)..... 20 gm/lb

GUARANTEED ANALYSIS

Crude Protein, Min..... 16.0%
 (This includes not more than 1.35% equivalent crude protein from non-protein nitrogen.)
 Crude Fat, Min..... 2.0%
 Crude Fiber, Max..... 8.0%
 Acid Detergent Fiber, Max..... 15.0%
 Calcium (Ca), Min..... 0.9% Max..... 1.4%
 Phosphorus (P), Min..... 0.5%
 Salt (NaCl), Min..... 0.2% Max..... 0.7%
 Copper (Cu), Min..... 25 ppm Max..... 35 ppm
 Selenium (Se), Min..... 0.3 ppm
 Vitamin A, Min..... 8,000 IU per Pound

INGREDIENTS

Processed Grain By-Products, Grain Products, Plant Protein Products, Molasses Products, Roughage Products, Calcium Carbonate, Lignin Sulfonate, Diatomaceous Earth, Salt, Forage Products, Ammonium Chloride, Monocalcium Phosphate, Dicalcium Phosphate, Thiamine Mononitrate, Zinc Amino Acid Complex, Magnesium Oxide, Ferrous Sulfate, Cobalt Carbonate, Copper Sulfate, Calcium Iodate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Calcium Sulfate, Mineral Oil, Sodium Selenite, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement.

FEEDING DIRECTIONS

Feed complete feed continuously as the sole ration to starting, growing, non-lactating dairy and meat kid goats. Provide clean, fresh water at all times, and an appropriate amount of forages. Make sure goats have access to clean, fresh water and forage at all times. Goat Power Minerals should be offered free-choice.

WARNING: This feed contains copper. Do not feed to sheep or other copper sensitive species. Angora and pygmy breeds have been reported to be sensitive to copper supplementation.

CAUTION: Do not allow horses or other equines access to feeds containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated feed is intended for use in cattle or in goats. Consumption by unapproved species may result in toxic reaction. Do not exceed the levels of monensin recommended in the feeding directions, as reduced daily gains may result. Feed only to goats being fed in confinement. Do not feed to lactating goats. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. For goats only.

31823

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115

Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition®
Goat Power™ Mineral
80869AAA

A Mineral Supplement for Goats

GUARANTEED ANALYSIS

Calcium (Ca), Min.	12.5%	Max.	14.90%
Phosphorus (P), Min.			6.95%
Salt (NaCl), Min.	22.00%	Max.	26.00%
Magnesium (Mg), Min.			1.45%
Potassium (K), Min.			1.45%
Zinc (Zn), Min.			1.24%
Copper (Cu), Min.	1500 ppm	Max.	1800 ppm
Selenium (Se), Min.			18 ppm
Vitamin A, Min.			175,000 IU per Pound

INGREDIENTS

Monocalcium Phosphate, Dicalcium Phosphate, Salt, Calcium Carbonate, Deffluorinated Phosphate, Ferrous Sulfate, Zinc Amino Acid Complex, Plant Protein Products, Potassium Chloride, Magnesium Oxide, Cane Molasses, Vegetable Oil, Calcium Sulfate, Thiamine Mononitrate, Cobalt Carbonate, Copper Sulfate, Calcium Iodate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement.

FEEDING DIRECTIONS

Make sure goats are not starved for salt or mineral. Remove salt and feed Goat Power Mineral free choice. Consumption should average 3/4 to 1 1/4 lb per head per month.

If consumption is below 3/4 lb per head per month:

1. Put Goat Power Mineral at several different locations in the lot or pasture, preferably where goats congregate or drink water.

2. Mix small amounts of grain or soybean meal with Goat Power Mineral.

If consumption is above 1 1/4 lb per head per month:

1. Move Goat Power Mineral away from areas where goats congregate or drink water.

2. Offer free-choice salt with Goat Power Mineral for 2 to 3 days. Goats may be over-consuming Goat Power Mineral because of a salt hunger.

Make sure goats have access to clean, fresh water and forage at all times.

CAUTION: This feed contains copper. Do not feed to sheep or other copper sensitive species.

Angora and pygmy breeds have been reported to be sensitive to copper supplementation.

Follow label directions. Feeding selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

00116

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced

ADM Animal Nutrition®
21% Lamb Creep
80909BGX

▶ **MEDICATED** ◀

A Complete Feed for Starting Lambs

For the prevention of coccidiosis caused by *Eimeria ovina*, *E. crandallis*, *E. ovinoidalis* (*E. ninakohlyukimovae*), *E. parva* and *E. intricata* in sheep maintained in confinement.

ACTIVE DRUG INGREDIENT

Lasalocid (15 mg/lb) 30 gm/ton

GUARANTEED ANALYSIS

Crude Protein, Min. 21.0%
(This includes not more than 1.25% equivalent crude protein from non-protein nitrogen.)
Crude Fat, Min. 3.5%
Crude Fiber, Max. 12.0%
Calcium (Ca), Min. 0.8% Max. 1.3%
Phosphorus (P), Min. 0.4%
Salt (NaCl), Min. 0.4% Max. 0.8%
Selenium (Se), Min. 0.3 ppm
Vitamin A, Min. 9,000 IU per Pound

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Forage Products, Roughage Products, Cane Molasses, Vegetable Oil, Dried Whey, Ammonium Chloride, Fish Meal, Propionic Acid (A Preservative), Diatomaceous Earth, Zinc Amino Acid Chelate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Niacin Supplement, Maltodextrin, Extracted Citric Acid Presscake, Thiamine, Ethylenediamine Dihydrochloride, Calcium Carbonate, Salt, Manganese Oxide, Manganese Sulfate, Ferrous Sulfate, Cobalt Carbonate, Zinc Sulfate, Zinc Oxide, Sodium Selenite, Sodium Molybdate, Artificial Flavor.

FEEDING DIRECTIONS

Feed continuously at the rate of 1 to 4.6 lb to provide not less than 15 mg nor more than 70 mg of lasalocid per head per day depending on body weight. Provide clean, fresh water at all times.

CAUTION: Do not allow horses or other equines access to formulations containing lasalocid as ingestion may be fatal. The safety of lasalocid in unapproved species and breeding animals has not been established. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. For sheep only.

No copper compounds are added to this feed. However, naturally occurring copper in feed ingredients may combine to yield detectable copper levels. Care should be taken to minimize additional copper from forage, water or other feed stuffs available to sheep.

26919

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80044 8

ADM Animal Nutrition®
18% Lamb Grower CIT
80910BGX

▶ MEDICATED ◀

A Complete Grain Mix for Growing Lambs

For the prevention of coccidiosis caused by *Eimeria ovina*, *E. crandallis*, *E. ovinoidalis* (*E. ninakohlyukimovae*), *E. parva* and *E. intricata* in sheep maintained in confinement.

ACTIVE DRUG INGREDIENT

Lasalocid (15 mg/lb) 30 gm/lb

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
(This includes not more than 1.25% equivalent crude protein from non-protein nitrogen.)	
Crude Fat, Min.	1.0%
Crude Fiber, Max.	11.0%
Calcium (Ca), Min.	0.9% Max. 1.3%
Phosphorus (P), Min.	0.3%
Salt (NaCl), Min.	0.3% Max. 0.8%
Selenium (Se), Min.	0.3 ppm
Vitamin A, Min.	8,000 IU per Pound

INGREDIENTS

Processed Grain By-Products, Plant Protein Products, Roughage Products, Grain Products, Forage Products, Molasses Products, Calcium Carbonate, Lignin Sulfonate, Ammonium Chloride, Salt, Sodium Propionate (A Preservative), Extracted Citric Acid Presscake, Zinc Amino Acid Complex, Ethylenediamine Dihydrochloride, Manganous Oxide, Manganese Sulfate, Ferrous Sulfate, Cobalt Carbonate, Zinc Sulfate, Zinc Oxide, Sodium Molybdate, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Sodium Selenite, Thiamine Mononitrate, Niacin Supplement.

FEEDING DIRECTIONS

Feed to growing lambs from weaning to 45-60 lb body weight, depending on growth potential. Feed continuously at the rate of 1 to 4.6 lb to provide not less than 15 mg nor more than 70 mg of lasalocid per head per day depending on body weight. Provide good quality forage and clean, fresh water at all times. Provide mineral supplementation as desired.

CAUTION: Do not allow horses or other equines access to formulations containing lasalocid as ingestion may be fatal. The safety of lasalocid in unapproved species and breeding animals has not been established. No copper compounds are added to this feed. However, naturally occurring copper in feed ingredients may combine to yield detectable copper levels. Care should be taken to minimize additional copper from forage, water or other feed stuffs available to sheep. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. For sheep only.

26919

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition®
36% Sheep Concentrate
80915AAA

A Supplement for Starting, Growing and Finishing Sheep

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min36.0% (This includes not more than 4.1% equivalent crude protein from non-protein nitrogen.)	Plant Protein Products, Processed Grain By-Products, Forage Products, Cane Molasses, Salt, Magnesium Oxide, Ammonium Chloride, Talc, Zinc Amino Acid Chelate, Propionic Acid (A Preservative), Thiamine Mononitrate, Niacin Supplement, Vitamin A Supplement, Vitamin D ₃ Supplement, Vitamin E Supplement, Ethylenediamine Dihydrochloride, Calcium Carbonate, Cobalt Carbonate, Calcium Phosphate, Ferrous Sulfate, Manganese Oxide, Manganese Sulfate, Zinc Sulfate, Zinc Oxide, Sodium Molybdate and Sodium Selenite.
Crude Fat, Min1.0%	
Crude Fiber, Max8.0%	
Calcium (Ca), Min3.0%	
Calcium (Ca), Max4.0%	
Phosphorus (P), Min0.8%	
Salt (NaCl), Min3.0%	
Salt (NaCl), Max4.0%	
Selenium (Se), Min2.0 ppm	
Vitamin A, Min. 25,000 IU per pound	

MIXING AND FEEDING DIRECTIONS

36% Sheep Concentrate is designed to be mixed with grain for growing and finishing feedlot lamb rations. Mix as indicated below for the desired protein level.

Com	735	1030	1135
Soy Hulls	300	240	240
Oats	150	150	200
Alfalfa Pellets or Alfalfa Hay	200	150	150
36% Sheep Conc.	<u>615</u>	<u>430</u>	<u>275</u>
	2000	2000	2000
Protein Level	18%	15%	12.5%

Molasses can be added to any ration by replacing up to 100 pounds of com.

36% Sheep Concentrate may be mixed with grains to make a grain mix for feeding to ewes during breeding, late gestation or lactation. Provide good quality forage to ewes.

Provide clean, fresh water at all times. Provide mineral supplementation as desired.

CAUTION: No copper compounds are added to this feed. However, naturally occurring copper in feed ingredients may combine to yield detectable copper levels. Care should be taken to minimize additional copper from forage, water or other feedstuffs available to sheep. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. For sheep only.

26919

ADM Animal Nutrition, a division of,
 Archer Daniels Midland Company, Quincy, IL 62305-3115
 Net Weight 50 lb (22.67 kg) Or As Invoiced

ADM Animal Nutrition®
36% Sheep Concentrate 80915MVO

▶ MEDICATED ◀

A Concentrate for Sheep in Confinement

For the prevention of coccidiosis caused by *Eimeria ovina*, *E. crandallis*, *E. ovinoidalis* (*E. ninakohlyukimovae*), *E. parva* and *E. intricata* in sheep maintained in confinement.

ACTIVE DRUG INGREDIENT

Lasalocid (69.75 mg/lb) 139.5 gm/ton

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min 36.0% (This includes not more than 4.1% equivalent crude protein from non-protein nitrogen.)	Plant Protein Products, Processed Grain By-Products, Forage Products, Cane Molasses, Salt, Magnesium Oxide, Ammonium Chloride, Talc, Zinc Amino Acid Chelate, Propionic Acid (A Preservative), Thiamine Mononitrate, Niacin Supplement, Vitamin A Supplement, Vitamin D ₃ Supplement, Vitamin E Supplement, Ethylenediamine Dihydrochloride, Calcium Carbonate, Cobalt Carbonate, Calcium Phosphate, Ferrous Sulfate, Manganous Oxide, Manganese Sulfate, Zinc Sulfate, Zinc Oxide, Sodium Molybdate and Sodium Selenite.
Crude Fat, Min 1.0%	
Crude Fiber, Max 8.0%	
Calcium (Ca), Min 3.0%	
Calcium (Ca), Max 4.0%	
Phosphorus (P), Min 0.8%	
Salt (NaCl), Min 3.0%	
Salt (NaCl), Max 4.0%	
Selenium (Se), Min 2.0 ppm	
Vitamin A, Min. 25,000 IU per pound	

MIXING AND FEEDING DIRECTIONS

36% Sheep Concentrate is designed to be mixed with grain for growing and finishing feedlot lamb rations. Mix as indicated below for the desired protein and lasalocid level.

Com	1030	1123
Soy Hulls	240	240
Oats	150	200
Alfalfa Pellets or Alfalfa Hay	150	150
36% Sheep Conc.	<u>430</u>	<u>287</u>
	2000	2000
Protein Level	15%	12.5%
Lasalocid (g/ton)	30	20

Feed the first ration (containing 30 g/ton lasalocid) continuously at the rate of 1 to 4.67 lb to provide not less than 15 mg nor more than 70 mg of lasalocid per head per day. Feed the second ration (containing 20 g/ton lasalocid) continuously at the rate of 1.5 to 7 lb to provide not less than 15 mg nor more than 70 mg of lasalocid per head per day.

Molasses can be added to any ration by replacing up to 100 pounds of corn.

Provide good quality forage and clean, fresh water at all times. Provide mineral supplementation as desired.

CAUTION: Do not allow horses or other equines access to formulations containing lasalocid as ingestion may be fatal. The safety of lasalocid in unapproved species and breeding animals has not been established. Feeding undiluted or mixing errors resulting in excessive concentrations of lasalocid could be fatal to sheep. No copper compounds are added to this feed. However, naturally occurring copper in feed ingredients may combine to yield detectable copper levels. Care should be taken to minimize additional copper from forage, water or other feed stuffs available to sheep. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. For sheep only.

26919

**ADM Animal Nutrition, a division of,
 Archer Daniels Midland Company, Quincy, IL 62305-3115
 Net Weight 50 lb (22.67 kg) Or As Invoiced**

JUNIORGLO® 80955AAA

For Foals, Growing Horses and Broodmares

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min.....19.00%	Soybean Hulls, Heat Stabilized Rice Bran,
Lysine, Min.....1.30%	Wheat Middlings, Dehulled Soybean Meal,
Methionine, Min.....0.40%	Dehydrated Alfalfa Meal, Cane Molasses,
Threonine, Min.....0.70%	Ground Flaxseed, Dried Whey, Salt, Calcite,
Crude Fat, Min.....6.00%	L-Lysine, Monocalcium Phosphate,
Crude Fiber, Max.....20.00%	Magnesium Oxide, Meliodextrin, Sodium
Acid Detergent Fiber, Max.....25.00%	Propionate (A Preservative), Brewers Dried
Neutral Detergent Fiber, Max.....32.00%	Yeast, Dried Lactobacillus acidophilus
Dietary Starch, Max.....9.5 %	Fermentation Product, Dried Lactobacillus
Sugar, Max.....7.5 %	casei Fermentation Product, Dried
Calcium (Ca), Min.....0.70%	Bifidobacterium thermophilum Fermentation
Calcium (Ca), Max.....1.20%	Product, Dried Enterococcus faecium
Phosphorus (P), Min.....0.70%	Fermentation Product, d-alpha Tocopheryl
Copper (Cu), Min.....70 ppm	Acetate, DL-Methionine, Manganese Oxide,
Selenium (Se), Min.....0.52 ppm	Dicalcium Phosphate, Zinc Oxide, Copper
Selenium (Se), Max.....0.60 ppm	Sulfate, DeFluorinated Phosphate, Ferrous
Zinc (Zn), Min.....220 ppm	Sulfate, Potassium Iodide, Cobalt
Vitamin A, Min.....5,000 IU/lb	Carbonate, Extracted Citric Acid Presozole,
Vitamin D3, Min.....500 IU/lb	Natural and Artificial Flavors, Calcium
Vitamin E, Min.....500 IU/lb	Carbonate, Biotin, Vitamin A Supplement,
Biotin, Min.....1.0 mg/lb	Thiamine Mononitrate, Vitamin E
Lactobacillus acidophilus, Min.....10,200,000 CFU/lb	Supplement, Riboflavin Supplement,
Lactobacillus casei, Min.....10,200,000 CFU/lb	Calcium Pantothenate, Niacin Supplement,
Bifidobacterium thermophilum, Min.....10,200,000 CFU/lb	Vitamin D3 Supplement, Vitamin B12
Enterococcus faecium, Min.....10,200,000 CFU/lb	Supplement, Sodium Selenite, Ascorbic
Contains a source of live (viable) naturally occurring microorganisms	Acid, Yeast Extract, Glycerol tributyryl, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycine, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex.

INSTRUCTIONS FOR FEEDING

Feed nursing foals, weanling, and yearling at a rate of 0.5 to 1.0 lb of JUNIORGLO® for every 100 lb of body weight divided into at least two meals per day along with good-quality forage. Do not feed more than 0.4 lb/100 lb body weight per meal. Feed gestating and lactating broodmares at a rate of 0.4 to 1.2 lb of JUNIORGLO® for every 100 lb of body weight divided into at least two meals per day along with good-quality forage. Do not feed more than 0.4 lb/100 lb body weight per meal. Adjust feeding rate for each individual horse to maintain the desired body condition. If your horse needs less than 0.4 lb/100 lb body weight of JUNIORGLO® to maintain condition, provide a GROSTRONG® Vitamin and Mineral product according to label directions. Always provide clean, palatable water and salt on a free-choice basis. Any feed changes should be made gradually over 7 to 10 days. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com.

WARNING: This feed contains copper. Do not feed to sheep or other copper sensitive species. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

80955AAA

18221

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition® Sheep & Goat Tub

A Free-Choice Supplement for Sheep and Goats on Pasture or Roughage Rations

GUARANTEED ANALYSIS

Crude Protein, not less than	21.0 %
Crude Fat, not less than	2.5 %
Crude Fiber, not more than.....	5.0 %
Calcium (Ca), not less than	1.35 %
Calcium (Ca), not more than.....	1.85 %
Phosphorus (P), not less than	0.70 %
Salt (NaCl), not less than.....	11.5 %
Salt (NaCl), not more than.....	13.5 %
Selenium, not less than.....	2.6 ppm
Vitamin A, not less than 23,000 IU per pound.	

INGREDIENTS

Processed Grain By-Products, Plant Protein Products, Salt, Maize Syrup, Magnesium Oxide, Calcium Carbonate, Extracted Citric Acid Presscake, Dicalcium Phosphate, Potassium Chloride, Calcium Sulfate, Ethylenediamine Dihydroiodide, Manganese Oxide, Manganese Sulfate, Ferrous Sulfate, Cobalt Carbonate, Zinc Sulfate, Zinc Oxide, Sodium Molybdate, Cobalt Glucoheptonate, Vitamin E Supplement, Vitamin A Supplement, Potassium Iodide, Sodium Selenite.

INSTRUCTIONS FOR FEEDING

Feed ADM Animal Nutrition Sheep & Goat Tub free-choice to sheep and goats on pasture or roughage rations. Make sure animals have adequate pasture or roughage available and are not starved for salt or minerals. Feed tub continuously.

Recommended consumption is 0.25 lb to 0.75 lb per head per day.

A two week adaptation period may be required to establish a base consumption. Consumption tubs will vary according to the weight of the animal and the quality and amount of available forage. Management of the number and location of tubs by the producer may be required to achieve target intakes. Increase the number of tubs and move the tubs closer to water or loafing areas to increase intake. Decrease the number of tubs or move farther from water or loafing areas to decrease intake.

A 10-day supply of Sheep & Goat Tub may be put out at one time. Provide at least one tub for every 15 to 20 animals.

CAUTION: Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

NOTE: Test your forages to determine the actual supplementation needs of your sheep and goats. Consumption over or under the recommended levels may be adequate based on nutrient needs. Use only as directed. No copper compounds are added to this feed. However, naturally occurring copper in feed ingredients may combine to yield detectable copper levels. Care should be taken to minimize additional copper from forage, water, minerals or other feed stuffs available to sheep.

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115

NET WT 125 LB (56.68 kg)

02121

Lot No.

81527AAA6F

ADM Animal Nutrition[®]
Sweet Unique™ All Stock* 81680AAA

A Grain Mix for All classes of Dairy and Beef Cattle, Ewes, Nannies/Goat Does
 and Maintenance of Adult Horses

GUARANTEED ANALYSIS

Crude Protein, Min.	12.0%
Lysine, Min.	0.6%
Crude Fat, Min.	2.0%
Crude Fiber, Max.	20.0%
Acid Detergent Fiber (ADF), Max.	24.0%
Calcium (Ca), Min. 0.5% Max.	1.1%
Phosphorus (P), Min.	0.4%
Salt (NaCl), Min. 0.5% Max.	1.0%
Potassium (K), Min.	1.0%
Zinc (Zn), Min.	100 ppm
Selenium (Se), Min.	0.3 ppm
Vitamin A, Min.	5,000 IU per pound

INGREDIENTS

Processed Grain By-Products, Roughage Products, Grain Products, Molasses Products, Calcium Carbonate, Salt, Lignin Sulfonate, L-Lysine, Sodium Propionate (A Preservative), Magnesium Oxide, Manganous Oxide, Zinc Oxide, Mineral Oil, Potassium Iodide, Cobalt Carbonate, Sodium Selenite, Vitamin A Supplement, Vitamin D₃ Supplement.

FEEDING DIRECTIONS

Cattle: Feed 1-1.5% of bodyweight depending on body condition and desired weight gain. Feed good quality hay or pasture.

Sheep: Feed 0.5-1.5 pounds per 100 pounds of body weight to mature sheep. Feed good quality hay or pasture. Do NOT feed to male sheep.

Goats: Feed 0.5-1.5 pounds per 100 pounds of bodyweight to mature goats. Feed good quality hay or pasture. Do NOT feed to male goats.

Horses: Feed adult maintenance horses 0.5 pounds per 100 pounds of bodyweight depending on condition. Feed good quality hay or pasture.

For All Species: Provide clean, fresh water at all times. Feed free-choice mineral (for the appropriate species) at all times. Consult your ADM Animal Nutrition representative for specific mineral recommendations.

*Feeding Sweet Unique All Stock to male sheep and male goats is NOT recommended.

CAUTION: All multi-species feeds leave nutritional gaps due to differences in nutritional requirements of each species. When feeding this, or any other multi-species feed, it is recommended that a species-specific mineral supplement be fed. Do not feed to male goats or sheep. This feed has no added copper. Care should be taken to minimize additional copper from forage, water or other feed stuffs available to sheep. 31123

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition®
Forage First® Hay Extender
81681AAA

A Forage Supplement for All Classes of Horses

GUARANTEED ANALYSIS

Crude Protein, Min.	11.0%
Crude Fat, Min.	2.5%
Crude Fiber, Max.	30.0%
Acid Detergent Fiber, Max.	38.0%
Neutral Detergent Fiber, Max.	50.0%
Calcium (Ca), Min. 0.5% Max.	1.0%
Phosphorus (P), Min.	0.25%
Salt (NaCl), Min. 0.25% Max.	0.75%

INGREDIENTS

Soybean Hulls, Wheat Middlings, Dehydrated Alfalfa Meal, Lignin Sulfonate, Calcium Carbonate, Vegetable Oil, Brewers Dried Yeast (*Saccharomyces*), Salt.

FEEDING DIRECTIONS

Use Forage First Hay Extender as a partial forage (hay) replacement for all classes of horses. 1 lb of Forage First Hay Extender replaces 1 to 2 lb of hay. This product does not provide adequate vitamins or minerals and should be fed with a fortified feed or a high-quality vitamin-mineral product, such as GROSTRONG® Vitamins and Minerals. Water should be fresh, palatable and available at all times. Any feed changes should be made gradually over 7 to 10 days. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com.

25123

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition®
Goat Power™ 36% Concentrate
81723AAA
A Supplement for Dairy and Meat Goats

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 36.0% (This includes not more than 4.25% equivalent crude protein from non-protein nitrogen.)	Plant Protein Products, Processed Grain By-Products, Calcium Carbonate, Molasses Products, Ammonium Chloride, Salt, Dicalcium Phosphate, Kaolin, Zinc Amino Acid Complex, Sodium Selenite, Extracted Citric Acid, Presscake, Magnesium Oxide, Ferrous Sulfate, Cobalt Carbonate, Copper Sulfate, Calcium Iodate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Calcium Sulfate, Mineral Oil, Calcium Propionate (A Preservative), Thiamine Mononitrate, Vitamin E Supplement, Artificial Flavor, Vitamin A Supplement, Vitamin D ₃ Supplement.
Crude Fat, Min. 1.50%	
Crude Fiber, Max. 8.00%	
Acid Detergent Fiber, Max. 12.00%	
Calcium (Ca), Min. 2.65%	
Calcium (Ca), Max. 3.65%	
Phosphorus (P), Min. 1.00%	
Salt (NaCl), Min. 1.85%	
Salt (NaCl), Max. 2.35%	
Copper (Cu), Min.65 ppm	
Copper (Cu), Max.83 ppm	
Selenium (Se), Min. 1.4 ppm	
Vitamin A, Min. 26,000 IU per Pound	

MIXING AND FEEDING DIRECTIONS

Mixing rates for Goat Power 36% Concentrate and commodities to make complete goat feeds:

Table 1

Protein Level	14%	16%	18%
Ingredients	(lb)	(lb)	(lb)
Com	1105	930	895
Soybean Hulls	470	510	400
Goat Power 36% Conc.	425	560	705
Total	2000	2000	2000
Approximate CP	14%	16%	18%
Approximate calcium	0.84%	1.00%	1.20%
Approximate phosphorus	0.40%	0.44%	0.50%

Refer to ADM Animal Nutrition's Use Rate Chart for feeding the above complete feeds to various dairy and meat goats.

Table 2

Protein Level	14%	16%	18%
Ingredients	(lb)	(lb)	(lb)
Com	1555	1420	1280
Feed Grade Limestone	10	-	-
Goat Power 36% Conc.	435	580	720
Total	2000	2000	2000
Approximate CP	14%	16%	18%
Approximate calcium	0.88%	0.96%	1.20%
Approximate phosphorus	0.41%	0.46%	0.52%

Refer to ADM Animal Nutrition's Use Rate Chart for feeding the above complete feeds to various dairy and meat goats.

Make sure goats have access to clean, fresh water and forage at all times. ADM Animal Nutrition Goat Power Minerals should be offered free-choice at all times.

WARNING: This feed contains copper. Do not feed to sheep or other copper sensitive species. Angora and pygmy breeds have been reported to be sensitive to copper supplementation.

CAUTION: Use only as directed. For goats only. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Follow label directions. The addition to feed of higher levels of this premix containing selenium is not permitted.

31923

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced

ADM Animal Nutrition®
Rack Plus™ Deer Mineral
81731AAA

**A Free-Choice Mineral Supplement for Whitetail Deer, Mule Deer
and Elk**

GUARANTEED ANALYSIS

Calcium (Ca), Min.	12.00%	Max.	14.40%
Phosphorus (P), Min.			6.00%
Salt (NaCl), Min.	11.00%	Max.	13.00%
Magnesium (Mg), Min.			0.30%
Potassium (K), Min.			0.15%
Copper (Cu), Min.			1,800 ppm
Selenium (Se), Min.39 ppm
Zinc (Zn), Min.			4,000 ppm
Vitamin A, Min.		250,000 IU per Pound	
Vitamin E, Min.250 IU per Pound		

INGREDIENTS

Calcium Carbonate, Dicalcium Phosphate, Processed Grain By-Products, Salt, Molasses Products, Vegetable Oil, Manganous Oxide, Iron Oxide, Copper Sulfate, Zinc Oxide, Sodium Selenite, Magnesium Oxide, Natural and Artificial Flavors, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Calcium Iodate, Ferrous Sulfate, Cobalt Carbonate.

FEEDING DIRECTIONS

Rack Plus Deer Mineral is formulated for self feeding to deer and elk in confinement or in their natural environment as a supplement to their natural diet. Feed continuously near the source of water. Recommended consumption is 0.01 to 0.05 lb per head per day as body condition and production stage dictates.

CAUTION: Consumption of this product by sheep or goats may result in copper toxicity. Do not use in association with another feed containing supplemental selenium.

NOTE: Feeding deer or elk in the wild is illegal in some areas. Check with local wildlife officials on legality of feeding deer or elk in the wild in your specific area.

04116-1M

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115**

Net Weight 10 kg (22.05 lb)



Forage First® Summer Care Tub For Working Horses

GUARANTEED ANALYSIS

Crude Protein, not less than	14.0 %
Crude Fat, not less than	5.5 %
Crude Fiber, not more than	5.00 %
Acid Detergent Fiber, not more than	6.00 %
Neutral Detergent Fiber, not more than	13.00 %
Dietary Starch, Min.	4.00 %
Sugar, Max	5.0 %
Calcium (Ca), not less than	1.75 %
Calcium (Ca), not more than	2.25 %
Phosphorus (P), not less than	1.0 %
Magnesium (Mg), not less than	2.0 %
Copper (Cu), not less than	200 ppm
Manganese (Mn), not less than	329 ppm
Selenium (Se), not less than	1.4 ppm
Selenium (Se), not more than	1.45 ppm
Zinc (Zn), not less than	500 ppm
Vitamin A, not less than	12,000 IU per pound
Vitamin D ₃ , not less than	2,500 IU per pound
Vitamin E, not less than	400 IU per pound
Biotin, Min.	0.8 mg/lb



7 99393 00247 9

INGREDIENTS

Corn Distillers Dried Grains with Solubles, Dehulled Soybean Meal, Condensed Fermented Corn Extractives, Salt, Corn Gluten Feed, Magnesium Oxide, Soy Flour, Cane Molasses, Vegetable Oil, Calcium Carbonate, Monocalcium Phosphate, Wheat Middlings, Manganese Oxide, Dicalcium Phosphate, Zinc Oxide, Copper Sulfate, Defluorinated Phosphate, Ferrous Sulfate, Potassium Iodide, Cobalt Carbonate, Sodium Selenite, Yeast Extract, Natural and Artificial Flavors, L-Lysine, Vitamin E Supplement, Biotin, Vitamin A Supplement, Thiamine Mononitrate, Riboflavin Supplement, d-alpha Tocopheryl Acetate, Calcium Pantothenate, Niacin Supplement, Vitamin D3 Supplement, Vitamin B12 Supplement, Dried *Aspergillus niger* Fermentation Solubles, Extracted Citric Acid Presscake.

INSTRUCTIONS FOR FEEDING

Feed Forage First Summer Care Tub free-choice to horses on pasture or roughage rations. Make sure animals have adequate pasture or roughage available and are not starved for salt or minerals. Feed Forage First Summer Care Tub continuously. Place tubs in pastures near areas frequented by horses, such as watering locations, shade or loafing areas. Place one tub for every 5 horses and place tubs far enough apart to prevent dominant horses from controlling more than one tub. Consumption may vary depending on number of horses per tub, climate, grazing conditions, condition of horses and/or availability of other feeds. Horses should consume 1 to 2 pounds per horse daily. In situations where climate and/or other factors result in consumption other than desired, intake of supplement can be increased or decreased by adding or reducing tubs per pasture. Provide adequate forage and supplemental feed as needed to maintain the desired body condition. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com. Provide free access to fresh, clean water at all times.

CAUTION: Consumption of this product by sheep and goats may result in copper toxicity. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

NOTE: Contains capsaicin, which has been known to test in performance horses

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115

NET WT 125 LB (56.68 kg)

08223

Lot No.

81885AAA6F

SENIORGLO® 10130AB

For Active Senior Horses, Broodmares and Adult Horses

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 14.00%	Soybean Hulls, Wheat Middlings, Heat Stabilized Rice Bran, Dehulled Soybean Meal, Dehydrated Alfalfa Meal, Cane Molasses, Vegetable Oil, Lignin Sulfonate, Beet Pulp, Dried Molasses, Salt, Ground Flaxseed, Calcite, Calcium Carbonate, Magnesium Oxide, Maltodextrin, Calcium Propionate (A Preservative), Brewers Dried Yeast, <i>d</i> -alpha Tocopheryl Acetate, Manganous Oxide, Monocalcium Phosphate, Dicalcium Phosphate, Zinc Oxide, Copper Sulfate, Defluorinated Phosphate, Ferrous Sulfate, Potassium Iodide, Cobalt Carbonate, Dried <i>Lactobacillus acidophilus</i> Fermentation Product, Dried <i>Lactobacillus casei</i> Fermentation Product, Dried <i>Bifidobacterium thermophilum</i> Fermentation Product, Dried <i>Enterococcus faecium</i> Fermentation Product, Hydrolyzed Yeast Cell Wall, <i>Saccharomyces cerevisiae</i> Fermentation Solubles, Sodium Selenite, Biotin, Vitamin A Supplement, Thiamine Mononitrate, Vitamin E Supplement, Riboflavin Supplement, Calcium Pantothenate, Niacin Supplement, Vitamin D3 Supplement, Vitamin B12 Supplement, DL-Methionine, Natural and Artificial Flavors, L-Lysine, Yeast Extract, Glycerol tetrabutyl, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycerin, Ascorbic Acid, Manganese Amino Acid Complex, Zinc Amino Acid Complex, Copper Amino Acid Complex.
Lysine, Min. 0.80%	
Methionine, Min. 0.30%	
Threonine, Min. 0.50%	
Crude Fat, Min. 8.00%	
Crude Fiber, Max. 20.00%	
Acid Detergent Fiber, Max. 25.00%	
Neutral Detergent Fiber, Max. 40.00%	
Dietary Starch, Max. 10.50%	
Sugar, Max. 6.50%	
Calcium (Ca), Min. 0.80%	
Calcium (Ca), Max. 1.30%	
Phosphorus (P), Min. 0.64%	
Copper (Cu), Min.60 ppm	
Selenium (Se), Min.060 ppm	
Selenium (Se), Max.065 ppm	
Zinc (Zn), Min. 200 ppm	
Vitamin A, Min. 5,000 IU/lb	
Vitamin D3, Min. 500 IU/lb	
Vitamin E, Min. 250 IU/lb	
Biotin, Min. 1.0 mg/lb	
<i>Lactobacillus acidophilus</i> , Min. 10,200,000 CFU/lb	
<i>Lactobacillus casei</i> , Min. 10,200,000 CFU/lb	
<i>Bifidobacterium thermophilum</i> , Min. 10,200,000 CFU/lb	
<i>Enterococcus faecium</i> , Min. 10,200,000 CFU/lb	
Contains a source of live (viable) naturally occurring microorganisms	

INSTRUCTIONS FOR FEEDING

Feed 0.4 to 1.0 lb of SENIORGLO® for every 100 lb of body weight (4.4 to 11 lb per 1100 lb horse) along with at least 2.0 lb of high-quality forage for every 100 lb bodyweight. Divide into at least two meals per day. Do not feed more than 0.4 lb of SENIORGLO® per 100 lb bodyweight in a single meal. Adjust feeding rate for each individual horse to maintain the desired body condition. Do not exceed recommended feeding rate. If your horse needs less than 0.4 lb per 100 lb bodyweight of SENIORGLO® to maintain condition, provide a GROSSSTRONG® Vitamin and Mineral product according to label directions. Always provide clean, palatable water and salt on a free-choice basis. Any feed changes should be made gradually over 7 to 10 days. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com.

CAUTION: Consumption of this product by sheep and goats may result in copper toxicity. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

10130AAA

31423

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305 3115**
Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition®
MotivAte™ 12-15 DEN
12286CVW

◀ MEDICATED ▶

A Complete Feed for Starting Pigs

For control of swine dysentery associated with *Brachyspira* (formerly *Seipulina* or *Treponema*)
hyodysenteriae susceptible to Tiamulin.

ACTIVE DRUG INGREDIENTS

Tiamulin.....(17.5 mg/lb).....35 gm/ton

GUARANTEED ANALYSIS

Crude Protein		(Min)	20.0 %
Lysine		(Min)	1.55 %
Crude Fat		(Min)	6.0 %
Crude Fiber		(Max)	2.5 %
Calcium	(Min)	0.6	1.1 %
Phosphorus		(Min)	0.65 %
Salt	(Min)	0.5	1.0 %
Selenium		(Min)	0.3 ppm
Zinc		(Min)	3,000 ppm

INGREDIENTS

Grain Products, Plant Protein Products, Animal Protein Products, Processed Grain By-Products, Dried Fermentation Biomass, Animal Fat, BHT (A Preservative), Melilloxtrin, Animal Plasma, Monocalcium Phosphate, Calcium Carbonate, Dextrose, L-Lysine, Zinc Oxide, Hydrolyzed Vegetable Oil, Mono and Diglycerides of Edible Fat-forming Acids, Silicon Dioxide, Glycerin, Ammonium formate, Formic Acid, Propionic Acid (preservative), Acetic Acid, Benzoic Acid, Sorbic Acid (preservative), Citric Acid, Propylene Glycol, Salt, DL-Methionine, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Calcium Iodate, Extracted Citric Acid Presscake, Roushage Products, Saccharin Sodium, Natural and Artificial Flavors, Sodium Propionate (A Preservative), L-Threonine, Dried *Trichoderma reesei* fermentation product, Dried *Bacillus Licheniformis* Fermentation Product, Dried *Bacillus Subtilis* Fermentation Product, Selenium Yeast, Chromium Propionate, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Choline Chloride, Dried Fermentation Biomass, Vegetable Oil, Dehydrated *Pichia Pastoris* Fermentation Extract, L-Tryptophan.

FEEDING DIRECTIONS

Motivate 12-15 is a complete feed specifically formulated for starting pigs. Feed continuously as the sole ration to pigs weighing 12 to 15 lbs with a history of swine dysentery but where signs of disease have not yet occurred, or following approved treatment of disease. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

CAUTION: Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the only source of tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104° F (40° C). Do not store at warm temperatures, 104° F (40° C), for more than 7 days.

22923

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced

MoorMan's®
ShowTec® Sow Ration with Thermal Care™
12343AAA

A Complete Feed for Sows, Gilts and Adult Boars

GUARANTEED ANALYSIS

Crude Protein, Min.	15.0%
Lysine, Min.	0.7%
Crude Fat, Min.	2.5%
Crude Fiber, Max.	5.0%
Calcium (Ca), Min.	0.7% Max.
Phosphorus (P), Min.	0.7%
Salt (NaCl), Min.	0.2% Max.
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	115 ppm

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Roughage Products, Calcium Carbonate, Lignin Sulfonate, Dicalcium Phosphate, Salt, Extracted Citric Acid Presscake, Saccharin Sodium, Natural and Artificial Flavors, Sodium Propionate (A Preservative), Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Calcium Iodate, Choline Chloride, Sodium Selenite, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Mineral Oil, L-Lysine, Dehydrated Pichia Pastoris Fermentation Extract, Bentonite, Hydrated Sodium Calcium Aluminosilicate.

FEEDING DIRECTIONS

Gestating sows and gilts
 Feed each sow or gilt 4.5 lb per day. Adjust feeding level of MoorMan's ShowTec Sow Ration to maintain proper body condition. Thirty days before farrowing, gradually increase the amount fed so that at farrowing time each sow or gilt is consuming 6 to 8 lb daily.

Lactating sows and gilts
 Feed a limited amount (2 to 4 lb) of this product on the day of farrowing. Gradually increase the amount fed so that 7 to 10 days after farrowing the sows and gilts are either on full feed or to the desired level for lactating animals.

Developing gilts
 Remove gilts from the finishing lots at approximately 150 lb. Feed each developing gilt 5 lb of this product daily until "flushing" at approximately 8 months of age. One week prior to breeding, the gilts should receive 6 to 8 lb daily of this product.

Boars
 Feed each boar 4 to 5 lb of this product daily during the non-breeding season and 5 to 7 lb daily during the breeding season. Adjust the amount to maintain proper body weight.

19622

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
 Net Weight 50 lb (22.67 kg) Or As Invoiced



ADM Animal Nutrition®
MaxLean® GF Concentrate
12354AAA

A Supplement for Growing and Finishing Swine

GUARANTEED ANALYSIS

Crude Protein, Min.	35.0%
Lysine, Min.	3.3%
Crude Fat, Min.	1.5%
Crude Fiber, Max.	6.0%
Calcium (Ca), Min. 2.75% Max.	3.75%
Phosphorus (P), Min.	1.35%
Salt (NaCl), Min. 1.75% Max.	2.25%
Selenium (Se), Min.	1.0 ppm
Zinc (Zn), Min.	595 ppm

INGREDIENTS

Plant Protein Products, Processed Grain By-Products, Animal Protein Products, Calcium Carbonate, Salt, Monocalcium Phosphate, Dicalcium Phosphate, L-Lysine, Animal Fat, BHT (A Preservative), Roughage Products, Calcium Pantothenate, Vitamin E Supplement, Niacin Supplement, Menadione Dimethylpyrimidinol Bisulfite, Riboflavin Supplement, Vitamin A Supplement, Vitamin B₁₂ Supplement, Vitamin D₃ Supplement, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Mineral Oil, Calcium Iodate, L-Threonine, Dehydrated Pichia Pastoris Fermentation Extract, Sodium Selenite.

MIXING AND FEEDING DIRECTIONS

Pig Weight (lb)

Barrows or Mixed	50-80	80-110	110-140	140-170	170-200	200-240	240-270	Paylean
Com	1415	1480	1545	1610	1645	1680	1715	*1515
12354AAA	585	520	455	390	355	320	285	485
Total	2000	2000	2000	2000	2000	2000	2000	2000
Total lysine	1.15	1.05	0.95	0.85	0.80	0.75	0.70	1.00

The complete feed is to be fed continuously as the sole ration. Provide clean, fresh water at all times. For those producers desiring a four-phase feeding program, choose phase 1, 3, 5 and 7. For a tailored farm-specific grow/finish feeding program, contact your ADM sales representative or nutritionist.

Breeding Herd: For use of this product in rations for the breeding herd, refer to mixing instructions for Parity Plus® Sow Boost™ 25.

*Reduce amount of grain in ration with corresponding amount of Paylean pack. Paylean can be used for the last 45-90 lb of weight gain. Paylean is not a trademark of ADM.

CAUTION: Use this product as the sole source of selenium. Added selenium above 0.3 ppm in the final complete ration is not permitted.

00116

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced

MoorMan's®
ShowTec® 14.5/6 BMD 14560AGN

▶ **MEDICATED** ◀

A Complete Feed for Finishing Pigs Being Fed for Exhibition
For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min.	14.5%
Lysine, Min.	0.75%
Crude Fat, Min.	6.0%
Crude Fiber, Max.	4.0%
Calcium (Ca), Min. 0.5% Max.	1.0%
Phosphorus (P), Min.	0.6%
Salt (NaCl), Min. 0.25% Max.	0.75%
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	140 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Soybean Hulls, Animal Fat, BHT (A Preservative), Calcium Carbonate, Dicalcium Phosphate, Feeding Cat Meal, Dried Whey, Sodium Bentonite, Salt, Maltodextrin, Blood Meal, Fish Meal, Corn Syrup Refinery Insolubles, Sucrose, Extracted Citric Acid Presscake, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Lignin Sulfonate, Yeast Culture (*Saccharomyces cerevisiae*), Diatomaceous Earth, Sodium Propionate (A Preservative), Choline Chloride, Zinc Amino Acid Complex, Natural and Artificial Flavors, L-Lysine, DL-Methionine, Biotin, Selenium Yeast, d-alpha-Tocopheryl Acetate, Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B₁₂ Supplement, Vitamin D₃ Supplement.

FEEDING DIRECTIONS

ShowTec 14.5/6 BMD medicated is a complete feed specifically formulated for pigs fed for exhibition weighing from 150 lbs to market weight. Specific feeding instructions may vary according to the goals of the feeding program for show pigs.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

20421

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



MoorMan's®
ShowTec® Lo Fat 15 BMD
15350AGN

► MEDICATED ◀

For Growing Pigs Being Fed for Exhibition
 For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Butiracin Methylene Disalicylate 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min.	15.00%
Lysine, Min.	0.80%
Crude Fat, Min.	3.50%
Crude Fiber, Max.	3.50%
Calcium (Ca), Min. 0.60% Max.	1.10%
Phosphorus (P), Min.	0.60%
Salt (NaCl), Min. 0.10% Max.	0.60%
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	500.0 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Soybean Hulls, Dried Whey, Feeding Oat Meal, Lignin Sulfonate, Monocalcium Phosphate, Calcium Carbonate, Animal Fat, BHT (A Preservative), Sodium Bentonite, Salt, Porcine Red Blood Cells, Fish Meal, Maltodextrin, Sodium Propionate (A Preservative), Extracted Citric Acid Presscake, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Zinc Oxide, Selenium Yeast, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Natural and Artificial Flavors, DL Methionine, Dehydrated Pichia Pastoris Fermentation Extract, L-Lysine, L-Threonine.

FEEDING DIRECTIONS

ShowTec Lo Fat 15 is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

20421

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 99393 00164 9

**Moorman's® ShowTec® Hi Fat 16 BMD
16700AGN**

▶ MEDICATED ◀

For Growing Pigs Being Fed for Exhibition
For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min.	16.00%
Lysine, Min.	0.900%
Crude Fat, Min.	7.00%
Crude Fiber, Max.	4.00%
Calcium (Ca), Min. 0.60% Max.	1.10%
Phosphorus (P), Min.	0.65%
Salt (NaCl), Min. 0.10% Max.	0.60%
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	800.0 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Maize Syrup Solids, Sucrose, Calcium Propionate (A Preservative), Zinc Methionine Complex, Extracted Citric Acid Presscake, Basic Copper Chloride, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (*Saccharomyces cerevisiae*), Diatomaceous Earth, Zinc Oxide, L-Lysine, DL-Methionine, Natural and Artificial Flavors, Biotin, d-alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B₁₂ Supplement, Vitamin D₃ Supplement, Selenium Yeast, Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

ShowTec Hi Fat 16 is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

21923

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115**
Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80225 1

**Moorman's®
ShowTec® Hi Fat 18 BMD
18007AGN**

▶ MEDICATED ◀

For Growing Pigs Being Fed for Exhibition
For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate..... 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min. 18.0%
Lysine, Min. 1.05%
Crude Fat, Min. 7.0%
Crude Fiber, Max. 4.0%
Calcium (Ca), Min. 0.6% Max. 1.1%
Phosphorus (P), Min. 0.65%
Salt (NaCl), Min. 0.1% Max. 0.6%
Selenium (Se), Min. 0.3 ppm
Zinc (Zn), Min. 800 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Maize Syrup Solids, Sucrose, Calcium Propionate (A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid Presscake, Basic Copper Chloride, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (*Saccharomyces cerevisiae*), Diatomaceous Earth, Zinc Oxide, L-Lysine, DL-Methionine, Natural and Artificial Flavors, Biotin, α -alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B₁₂ Supplement, Vitamin D₃ Supplement, Selenium Yeast, Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

ShowTec Hi Fat 18 BMD is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

22023


**ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115**

Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



MoorMan's®
ShowTec® BB 18 BMD
18241AGN



For Growing Pigs Being Fed for Exhibition
 For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	1.05%
Crude Fat, Min.	3.75%
Crude Fiber, Max.	4.0%
Calcium (Ca), Min.	0.6% Max. 1.1%
Phosphorus (P), Min.	0.65%
Salt (NaCl), Min.	0.1% Max. 0.6%
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	800 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Calcium Propionate (A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid Presscake, Copper Sulfate, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (*Saccharomyces cerevisiae*), Diatomaceous Earth, Zinc Oxide, L-Lysine, Methionine, Natural and Artificial Flavors, Biotin, α -alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Selenium Yeast, Dried *Trichoderma reesei* fermentation product, Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

ShowTec BB 18 BMD is a complete feed specifically formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

26523

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115

Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



MoorMan's®
ShowTec® BB 18 BMD/DBZ
18241PLM

▶ **MEDICATED** ◀

For Growing Pigs Being Fed for Exhibition
 For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disilicylate 30 gms/ton

An insect growth regulator, which prevents the development of manure-breeding flies in the manure of treated swine (including nursery, grow-finish, and breeding stock).

ACTIVE INGREDIENT: Diflubenzuron (CAS # 35367-38-5) 0.001%

OTHER INGREDIENTS: 99.999%

Contains 4.635 mg of diflubenzuron per lb. Total 100.000%

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 18.0%	Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oil Meal, Sodium Benzoate, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Malodectin, Blood Meal, Salt, Calcium Propionate (A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid Precipitate, Copper Sulfate, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (Saccharomyces cerevisiae), Diatomaceous Earth, Zinc Oxide, L-Lysine, Methionine, Natural and Artificial Flavors, Biotin, α -alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Sulfate, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B ₁₂ Supplement, Vitamin D ₃ Supplement, Selenium Yeast, Dried Trichoderma reesei fermentation product, Dehydrated Pichia Pastoris Fermentation Extract.
Lysine, Min. 1.05%	
Crude Fat, Min. 3.75%	
Crude Fiber, Max. 4.0%	
Calcium, Min. 0.6% Max. 1.1%	
Phosphorus, Min. 0.65%	
Salt, Min. 0.1% Max. 0.6%	
Selenium, Min. 0.3 ppm	
Zinc, Min. 800 ppm	

KEEP OUT OF REACH OF CHILDREN

CAUTION

USE AND MIXING DIRECTIONS

STORAGE AND DISPOSAL: Do not contaminate water or food by storage or disposal.

STORAGE: Store in a cool, dry place. Do not contaminate with pesticides or fertilizer.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FEEDING DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product only prevents the development of house flies, stable flies, face flies, horn flies and manure breeding flies in the manure of treated swine, but is not effective against existing adult flies. Begin use early in the spring, 30 days before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity. In some cases, supplemental fly control measure may be needed in and around pastures, barns, and feedlots to control adult house and stable flies which can breed in other decaying, organic matter or silage in the area, or that migrate in from other locations.

ShowTec BB 18 BMD/DBZ is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ShowTec product for the weight of the pigs being fed. Feed at the rate of 5.0 lbs per head per day to animals weighing 250 lbs to provide 0.2 mg diflubenzuron per kg of body weight per day. The higher inclusion rate for diflubenzuron (0.2 to 0.3 mg/kg allowed) is to be used for lighter weight pigs. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite. 26523

ADM Animal Nutrition, a division of Archer Daniels Midland Company,
 Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



**MoorMan's® ShowTec® Sale Burst
w/DF DEN 21256CVW**

▶ MEDICATED ◀

A Complete Feed for Growing Pigs Being Fed for Exhibition

For control of swine dysentery associated with *Beschiopsis* (formerly *Serpulina* or *Treponema*) hydroxyenteriae susceptible to Tiamulin.

ACTIVE DRUG INGREDIENT	
Tiamulin.....	.35 gm/lb (17.5 mg/lb)
GUARANTEED ANALYSIS	
Crude Protein, Min.....	19.00%
Lysine, Min.....	1.15%
Crude Fat, Min.....	4.00%
Crude Fiber, Max.....	4.50%
Calcium (Ca), Min.....	0.50%
Calcium (Ca), Max.....	1.00%
Phosphorus (P), Min.....	0.55%
Salt (NaCl), Min.....	0.35%
Salt (NaCl), Max.....	0.85%
Selenium (Se), Min.....	0.3 ppm
Zinc (Zn), Min.....	2,000 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Rolled Oats, Dried Whey Product, Soybean Hulls, Sodium Bentonite, Animal Fat, BHT (A Preservative), Melbactam, Monocalcium Phosphate, Lignin Sulfonate, Calcium Carbonate, Animal Plasma, Fish Meal, Salt, Hydrolyzed vegetable oil, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycerin, Ammonium formate, Formic acid, Propionic acid (preservative), Acetic acid, Benzoic acid, Sorbic acid (preservative), Citric acid, Propylene glycol, Zinc Oxide, Extracted Citric Acid Presscake, Corn Syrup Refinery Insolubles, Sucrose, Choline Chloride, Calcium Propionate (A Preservative), Basic Copper Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, L-Lysine, Dried *Trichoderma reesei* fermentation product, Dried *Bacillus Licheniformis* Fermentation Product, Dried *Bacillus Subtilis* Fermentation Product, Selenium Yeast, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menedione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, L-Threonine, Natural and Artificial Flavors, Saccharin Sodium, DL Methionine, Chromium Propionate, Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

MoorMan's ShowTec Sale Burst w/DF is a complete feed specifically formulated for pigs weighing 35 to 75 pounds. Feed continuously as sole ration on premises with a history of swine dysentery but where signs of disease have not yet occurred or following approved treatment of disease. Then they should be changed to an approved ShowTec ration for pigs of this weight. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

CAUTION: Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the sole source of tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104°F (40°C). Do not store at warm temperatures, 104°F (40°C), for more than 7 days.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

20921

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115**

Phone: 1-866-696-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



**MoorMan's® ShowTec® Burst Starter™ w/DF CTC/DEN
24320AYW**

MEDICATED

A Complete Feed for Starting/Raising Pigs Being Fed for Exhibition

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

Treatment of bacterial enteritis caused by *Escherichia coli* and *Salmonella choleraesuis* and bacterial pneumonia caused by *Pasteurella multocida* susceptible to chlortetracycline. For control of swine dysentery associated with *Brachyspira* (formerly *Serpulina* or *Trapanema*) *hyodysenteriae* susceptible to Tiamulin.

ACTIVE DRUG INGREDIENTS

Chlortetracycline (200 mg/lb) 400 gm/ton
Tiamulin (17.5 mg/lb) 35 gm/ton

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 21.5%	Ground Corn, Dehulled Soybean Meal, Rolled Oats, Dried Whey Product, Animal Fat, BHT (A Preservative), Soybean Hulls, Fish Meal, Sodium Bentonite, Maltodextrin, Animal Plasma, Lignin Sulfonate, Monocalcium Phosphate, Porcine Red Blood Cells, Calcium Carbonate, Zinc Oxide, Hydrolyzed vegetable oil, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycerin, Ammonium formate, Formic acid, Propionic acid (preservative), Acetic acid, Benzoic acid, Sorbic acid (preservative), Citric acid, Propylene glycol, L-Lysine, Extracted Citric Acid Presscake, Corn Syrup Refinery Insolubles, Sucrose, Choline Chloride, Calcium Propionate (A Preservative), Salt, L-Threonine, DL-Methionine, Yeast Culture, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Dried <i>Trichoderma reesei</i> fermentation product, Dried <i>Bacillus Licheniformis</i> Fermentation Product, Dried <i>Bacillus Subtilis</i> Fermentation Product, Selenium Yeast, Chromium Propionate, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menedione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Natural and Artificial Flavors, Dehydrated <i>Pichia Pastoris</i> Fermentation Extract.
Lysine, Min. 1.5%	
Crude Fat, Min. 7.0%	
Crude Fiber, Max. 3.5%	
Calcium, Min. 0.5%	
Calcium, Max. 1.0%	
Phosphorus, Min. 0.6%	
Salt, Min. 0.25%	
Salt, Max. 0.75%	
Selenium, Min. 0.3 ppm	
Zinc, Min. 2,500 ppm	

FEEDING DIRECTIONS

MoorMan's ShowTec Burst Starter w/DF is a complete feed specifically formulated for pigs weighing 15 to 50 pounds. Feed at the rate of 5% of body weight to provide 10 mgs of chlortetracycline per pound of body weight daily. For example, feed at the rate of 1.0 lb per head per day to pigs weighing 20 lbs. Feed continuously as the sole ration for 14 days. Then they should be changed to an approved ShowTec ration for pigs of this weight. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

CAUTION: Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the only source of chlortetracycline and tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104°F (40°C). Do not store at warm temperatures, 104°F (40°C), for more than 7 days.

06724

ADM Animal Nutrition, a division of

Archer Daniels Midland Company

Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 99393 00207 3

**MoorMan's® ShowTec® Burst Starter™ w/DF DEN
24320CVW**

◀ MEDICATED ▶

A Complete Feed for Starting/Growing Pigs Being Fed for Exhibition
For control of swine dysentery associated with *Brachyspira* (formerly *Serpulina* or *Treponema*)
hyodysenteriae susceptible to Tiamulin.

ACTIVE DRUG INGREDIENTS

Tiamulin (17.5 mg/lb) 35 gm/ton

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 21.5%	Ground Corn, Dehulled Soybean Meal, Rolled Oats, Dried Whey Product, Animal Fat, BHT (A Preservative), Soybean Hulls, Fish Meal, Sodium Bentonite, Meliodextrin, Animal Plasma, Lignin Sulfonate, Monocalcium Phosphate, Porcine Red Blood Cells, Calcium Carbonate, Zinc Oxide, Hydrolyzed vegetable oil, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycerin, Ammonium formate, Formic acid, Propionic acid (preservative), Acetic acid, Benzoic acid, Sorbic acid (preservative), Citric acid, Propylene glycol, L-Lysine, Extracted Citric Acid Presscake, Corn Syrup Refinery Insolubles, Sucrose, Choline Chloride, Calcium Propionate (A Preservative), Salt, L-Threonine, DL-Methionine, Yeast Culture, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Dried <i>Trichoderma reesei</i> fermentation product, Dried <i>Bacillus Licheniformis</i> Fermentation Product, Dried <i>Bacillus Subtilis</i> Fermentation Product, Selenium Yeast, Chromium Propionate, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadiolone Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Natural and Artificial Flavors, Dehydrated <i>Pichia Pastoris</i> Fermentation Extract.
Lysine, Min. 1.5%	
Crude Fat, Min. 7.0%	
Crude Fiber, Max. 3.5%	
Calcium, Min. 0.5%	
Calcium, Max. 1.0%	
Phosphorus, Min. 0.6%	
Salt, Min. 0.25%	
Salt, Max. 0.75%	
Selenium, Min. 0.3 ppm	
Zinc, Min. 2,500 ppm	

FEEDING DIRECTIONS

MoorMan's ShowTec Burst Starter w/DF is a complete feed specifically formulated for starting pigs. Feed continuously as the sole ration to pigs weighing 15 to 50 lbs with a history of swine dysentery but where signs of disease have not yet occurred, or following approved treatment of disease. Transition pigs to the appropriate MoorMan's ShowTec product for the weight of the pigs being fed. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

CAUTION: Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the only source of tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104°F (40°C). Do not store at warm temperatures, 104°F (40°C), for more than 7 days.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

06724

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company**

Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 99393 00208 0

**ADM Animal Nutrition®
AMPT™-A CTC/IGR
54229XNK**

◀ MEDICATED ▶

For Beef Cattle Weighing 1400 lb

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For beef cattle weighing over 700 lb: Control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline.

ACTIVE DRUG INGREDIENT

Chlortetracycline (2,800 milb) 5,600 adag

To prevent the breeding of horn flies in the manure of treated cattle only. A pesticidally active mineral feed for beef cattle containing methoprene® insect growth regulator for continuous feeding during the fly season.

ACTIVE INGREDIENT:

S-methoprene (CAS Number 65733-16-6) 0.014%

OTHER INGREDIENTS: 99.986%

Contains 63.5 mg of methoprene per lb. Total 100.000%

GUARANTEED ANALYSIS	INGREDIENTS
Calcium (Ca), Min.13.80% Max. 16.35%	Calcium Carbonate, Magnesium Carbonate,
Phosphorus (P), Min.4.00%	Salt, Monocalcium Phosphate, Processed Grain
Salt (NaCl), Min.18.80% Max. 22.50%	By-Products, Vegetable Oil, Molasses Products,
Magnesium (Mg), Min.3.00%	Zinc Amino Acid Complex, Manganese Amino
Potassium (K), Min.none added	Acid Complex, Selenium Yeast, Sodium
Cobalt (Co), Min.150 ppm	Selenite, Magnesium Oxide, Copper Amino
Copper (Cu), Min.1,200 ppm	Acid Complex, Iron Oxide, Ethylenediamine
Iodine (I), Min.200 ppm	Dihydroiodide, Vitamin A Supplement, Cobalt
Manganese (Mn), Min.3,000 ppm	Carbonate, Lactic Acid, Vitamin E Supplement,
Selenium (Se), Min.25.0 ppm	Vitamin D3 Supplement, Artificial Flavor.
Zinc (Zn), Min.4,200 ppm	
Vitamin A, Min.200,000 IU per pound	
Vitamin D3, Min.5,000 IU per pound	
Vitamin E, Min.100 IU per pound	

KEEP OUT OF REACH OF CHILDREN

CAUTION

USE AND MIXING DIRECTIONS

STORAGE AND DISPOSAL: Do not contaminate water or food by storage or disposal.

STORAGE: Store in dry area. Do not contaminate with pesticides or fertilizer.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

MIXING AND FEEDING DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product only prevents emergence of adult horn flies from the manure of treated cattle. Begin use in the spring before horn flies appear on cattle and continue feeding until cold weather restricts horn fly activity. Introduction of the product when significant numbers of adult flies are present may require the use of adulticide sprays or dusts.

Feed at the rate of 0.01785 pound per 100 pounds bodyweight to cattle weighing over 700 pounds to provide 0.5 mg chlortetracycline per pound of bodyweight per day and 34 mg of methoprene per 100 lb of bodyweight per month. For example, mix and feed at the rate of 0.25 lb per head per day to cattle weighing 1400 lb to provide 700 mg chlortetracycline per head per day and 34 mg of methoprene per 100 lb of bodyweight per month. This product is not designed for free choice feeding. Provide clean fresh water at all times.

WARNING: Zero-Day withdrawal period. A withdrawal period has not been established for this product in pre-nursing calves. Do not use in calves to be processed for veal.

CAUTION: Consumption of this product by sheep and goats may result in copper toxicity. Follow label directions. The addition to feed of higher levels of this premix containing selenium is not permitted.

34023

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced**

Pen Pals® Chicken Starter-Grower 70009AAA

A Complete Feed for Starting and Growing Chickens

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	0.9%
Methionine, Min.	0.3%
Crude Fat, Min.	3.0%
Crude Fiber, Max.	7.0%
Calcium (Ca), Min. 1.0% Max.	1.5%
Phosphorus (P), Min.	0.6%
Salt (NaCl), Min. 0.3% Max.	0.8%
Vitamin A, Min.	4,100 IU per pound

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried Trichoderma reesei Fermentation Product, Methionine, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

FEEDING DIRECTIONS

Feed continuously as the sole ration to replacement chickens. Provide clean, fresh water at all times.

27723

ADM Animal Nutrition, a division of

Archer Daniels Midland Company, Quincy, IL 62305-3115

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 70012 0

Pen Pals®
Chicken Starter-Grower
70009AAA

A Complete Feed for Starting and Growing Chickens

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	0.9%
Methionine, Min.	0.3%
Crude Fat, Min.	3.0%
Crude Fiber, Max.	7.0%
Calcium (Ca), Min. 1.0% Max.	1.5%
Phosphorus (P), Min.	0.6%
Salt (NaCl), Min. 0.3% Max.	0.8%
Vitamin A, Min.	4,100 IU per pound

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried Trichoderma reesei Fermentation Product, Methionine, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

FEEDING DIRECTIONS

Feed continuously as the sole ration to replacement chickens. Provide clean, fresh water at all times.

27723-25

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 25 lb (11.34 kg) or As Invoiced



Pen Pals®
Chicken Starter-Grower
70009ACF

▶ MEDICATED ◀

A Complete Feed for Starting and Growing Pullets

Replacement chickens: For development of active immunity to coccidiosis; and for increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENTS

Bacitracin Methylene Disulficylate.....	25 gm/ton
Amprolium.....	0.0125%

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	0.9%
Methionine, Min.	0.3%
Crude Fat, Min.	3.0%
Crude Fiber, Max.	7.0%
Calcium (Ca), Min.	1.0% Max.
Phosphorus (P), Min.	0.6%
Salt (NaCl), Min.	0.3% Max.
Vitamin A, Min.	4,100 IU per pound

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried *Trichoderma reesei* Fermentation Product, Methionine, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

Feed continuously as the sole ration under conditions of severe exposure to coccidiosis up to or over 8 weeks of age, until onset of production to replacement chickens. Provide clean, fresh water at all times.

CAUTION: For replacement chickens only. Do not use in feeds containing bentonite.

27723-25

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 25 lb (11.34 kg) Or As Invoiced



Pen Pals®
EGG MAKER COMPLETE
70010AAA (Crumbles)

A Complete Feed for Laying Hens
GUARANTEED ANALYSIS

Crude Protein, Min.	16.0%
Lysine, Min.	0.7%
Methionine, Min.	0.32%
Crude Fat, Min.	3.0%
Crude Fiber, Max.	6.0%
Calcium (Ca), Min. 3.9% Max.	4.9%
Phosphorus (P), Min.	0.4%
Salt (NaCl), Min. 0.2% Max.	0.7%
Vitamin A, Min.	3,200 IU per pound

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Forage Products, Roughage Products, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, L-Lysine, Methionine, Dried Trichoderma reesei Fermentation Product, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

FEEDING DIRECTIONS

Feed continuously as the sole ration to laying hens. Provide clean, fresh water at all times.

28323

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



Pen Pals®

PROFESSIONAL RABBIT 18

80033AAA

A Complete Feed For Growing and Breeding Rabbits
GUARANTEED ANALYSIS

Crude Protein, Min.		18.0%
Crude Fat, Min.		3.0%
Crude Fiber, Min.	14.0% Max.	19.0%
Calcium (Ca), Min.	0.7% Max.	1.2%
Phosphorus (P), Min.		0.5%
Salt (NaCl), Min.	0.2% Max.	0.7%
Vitamin A, Min.		3,200 IU/lb

INGREDIENTS

Dehydrated Alfalfa Meal, Wheat Middlings, Soybean Hulls, Feeding Oat Meal, Dehulled Soybean Meal, Cane Molasses, Lignin Sulfonate, Calcium Carbonate, Salt, Copper Sulfate, Zinc Amino Acid Complex, Yucca Shidigera Extract, Zinc Oxide, Vitamin E Supplement, Manganese Amino Acid Complex, Manganous Oxide, Ferrous Sulfate, Copper Amino Acid Complex, Mineral Oil, Iron Amino Acid Complex, Sodium Selenite, Vitamin A Supplement, Niacin Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Vitamin D3 Supplement, Biotin, Magnesium Amino Acid Chelate, Cobalt Glucoheptonate, Calcium Pantothenate, Riboflavin Supplement, Calcium Iodate, Thiamine Mononitrate, Pyridoxine Hydrochloride, Cobalt Carbonate, Folic Acid, Choline Chloride, Vegetable Oil, Monocalcium Phosphate, Brewers Dried Yeast, Extracted Citric Acid Presscake, Saccharin Sodium, Natural and Artificial Flavors, Calcium Propionate (A Preservative), Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, DL-Methionine, L-Lysine.

FEEDING DIRECTIONS

Feed to growing and breeding rabbits. Feed requirements depend on the size, breed, and stage of growth, use or production.

Type of Rabbit	Daily Feed Requirements
Bucks	3 to 5 oz
Resting Does	4 to 6 oz
Does During Gestation	5 to 7 oz
Nursing Does – 1 3 weeks	0.5 to 0.75 lb
*Nursing Does – 3 weeks to weaning	1 to 1.5 lb
**Growing Rabbits	2 to 4 oz

*Self feed the doe during this period.

**For young rabbits we suggest self feeding for most economical gains. Provide clean, fresh water at all times.

WARNING: This product is not intended for laboratory or research animals. No expressed or implied guarantee as to suitability for that purpose is made.

REMINDER: Feed is perishable. Store this product in a cool, dry area away from insects.

28423

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115

Net Weight 50 lb (22.67 kg)



7 88399 80117 9

Pen Pals®

Professional Show Rabbit

81657AAA

A Complete Feed for Growing and Breeding Rabbits

GUARANTEED ANALYSIS

Crude Protein, Min.		16.0%
Crude Fat, Min.		3.5%
Crude Fiber, Min.	17.5% Max.	22.5%
Calcium (Ca), Min.	0.8% Max.	1.2%
Phosphorus (P), Min.		0.4%
Salt (NaCl), Min.	0.1% Max.	0.6%
Vitamin A, Min.		4,000 IU/lb

INGREDIENTS

Dehydrated Alfalfa Meal, Wheat Middlings, Soybean Hulls, Dehulled Soybean Meal, Cane Molasses, Lignin Sulfonate, Heat Stabilized Rice Bran, Brewers Dried Yeast (Saccharomyces), Vegetable Oil, Salt, Ground Flaxseed, Calcium Carbonate, Zinc Oxide, Vitamin E Supplement, Zinc Amino Acid Complex, Copper Sulfate, Manganous Oxide, Ferrous Sulfate, Manganese Amino Acid Complex, Copper Amino Acid Complex, Sodium Selenite, Vitamin A Supplement, Niacin Supplement, Vitamin B₁₂ Supplement, Menedione Sodium Bisulfite Complex, Vitamin D₃ Supplement, Biotin, Calcium Pantothenate, Riboflavin Supplement, Calcium Iodate, Thiamine Mononitrate, Pyridoxine Hydrochloride, Cobalt Carbonate, Folic Acid, Choline Chloride, Maltodextrin, Dried Whey, DL-Methionine, Extracted Citric Acid Presscake, Saccharin Sodium, Natural and Artificial Flavors Dried Lactobacillus Acidophilus Fermentation Product, Dried Lactobacillus Casei Fermentation Product, Dried Bifidobacterium Thermophilum Fermentation Product, Dried Enterococcus Faecium Fermentation Product, Calcium Propionate (A Preservative), Yucca Schidigera Extract, Cobalt Glucoheptanate.

FEEDING DIRECTIONS

Feed to growing and breeding rabbits. Feed requirements depend on the size, breed, and stage of growth, use or production.

Type of Rabbit	Daily Feed Requirements
Bucks	2 to 5 oz
Resting Does	3 to 6 oz
Does During Gestation	4 to 7 oz
*Nursing Does – 1 st 3 weeks	0.5 to 0.75 lb
*Nursing Does – 3 weeks to weaning	0.75 to 1.5 lb
**Growing Rabbits	2 to 4 oz

*Self feed the doe during this period.

**For young rabbits we suggest self feeding for most economical gains. Provide clean, fresh water at all times.

WARNING: This product is not intended for laboratory or research animals. No expressed or implied guarantee as to suitability for that purpose is made.

REMINDER: Feed is perishable. Store this product in a cool, dry area away from insects.

28423

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80104 9